

UNITED STATES DEPARTMENT OF AGRICULTURE.

FEDERAL HORTICULTURAL BOARD

C. L. MARLATT, Chairman; W. A. Orton, Geo. B. Sudworth, W. D. Hunter, Karl F. Kellerman. R. C. Althouse, Assistant to the Chairman; E. R. Sasscer, Entomologist in Charge, Port Inspection; R. Kent Beattle, Pathologist in Charge, Foreign Plant Quarantines.

ANNUAL LETTER OF INFORMATION.

Pests Collected from Imported Plants and Plant Products from October 1, 1919, to December 31, 1920.

NO. 34.

DECEMBER 31, 1920

GENERAL NOTES.

As indicated in Quarterly Letter of Information No. 33, published October, 1919, the Quarterly Letter is to be discontinued, and, in lieu thereof, an annual list of the pests intercepted will be published for the information of State and Federal inspectors and others concerned. This Annual Letter, therefore, is a continuation of the Quarterly Letter of Information, the last number of which was issued October, 1919.

The insects and plant diseases listed in this letter were for the most part intercepted from October 1, 1919, to December 31, 1920, inclusive, although a few insects and plant diseases which had not been identified at the time Quarterly Letter No. 33 was issued are included.

During the period under review particular attention has been given to the inspection of plant material passing through the inspection house at Washington under special permit. It will be noted from this list that a number of foreign diseases and insects new to the United States were intercepted, and in a number of cases it was necessary to condemn shipments on account of the presence of these dangerous pests.

NOTES ON PATHOLOGICAL INTERCEPTIONS.

A sclerotial disease attacking *Iris tingitana* and other iris species of the Spanish iris group was found in several shipments from France and the island of Guernsey. Considerable quantities of bulbs were condemned because of the presence of this disease. The fungus has been tentatively referred to as *Sclerotium semen* Tode, of rare or doubtful occurrence in the United States.

Azaleas and rhododendrons from France, Belgium, and Holland have been uniformly infected with *Exobasidium vaccinii* which causes leaf and flower galls. Very little effort, apparently, is made to remove diseased parts before the plants are shipped.

Botrytis cinerea and Pestalozzia guepini have been very commonly present on special permit shipments from Great Britain, France, and Holland. Crown gall (Bacterium tumefaciens) has been prevalent on roses and other nursery stock as in previous years.

The mosaic or mottling disease developed in sugar-cane plants grown in the quarantine greenhouse from seed imported from Argentina (Tucuman) for experimental purposes. Among other sugar-cane diseases intercepted during the year are *Thielaviopsis paradoxa* (pineapple disease or black rot of cuttings) on seed cane from Tahiti, British Guiana, and Cuba; *Melanconium sacchari* (rind disease) from Cuba.

Citrus canker (*Pseudomonas citri*) has been taken on grapefruit and oranges from China and India on several occasions at the port of Seattle. Other citrus diseases intercepted have been Anthracnose (*Colletotrichum gloeosporioides*) from Trinidad, Philippine Islands, India, and Mexico; Melanose (*Phomopsis citri*) on grapefruit from China.

A new potato disease and one which heretofore has been known only from England and Scotland was intercepted a number of times on tubers from these countries. The disease is known as skin spot, and is said to be due to the fungus Oospora pustulans. Since these

interceptions the disease has been found in Washington State on potatoes imported from British Columbia. The disease lowers the market value of the tubers.

A mosaic disease of bamboo (*Phyllostachys* sp.) developed in the quarantine greenhouse on plants imported by the Office of Foreign Seed and Plant Introduction for experimental work. This disease is very similar to, if not identical with, the mosaic or mottling disease of sugar cane.

Similarly a plant of *Coix lachryma-jobi* grown in the quarantine greenhouse from seed sent from the Philippine Islands developed a systemic infection of smut (*Ustilago coicis Bref*). This smut has been known previously only from British India. Strangely enough, the disease has not been found as yet in the Philippines, although special search has been made for it.

Among other interceptions of diseases new to or not widely spread in the United States may be mentioned the following: Ustilago iseilematis on Iseilema anthophoroides from India; Puccinia hibisciata on cotton from Mexico; Diplodia cacaoicola (brown rot) on cacao (Theobroma) from Brazil; Uromyces aloes on Aloe mesambryanthemoides from the Union of South Africa; Puccinia polysora on Tripsacum latifolium from Cuba; and Tylenchus dipsaci in hyacinth bulbs from France.

It is also of interest to note the presence of bunt (Tilletia sp.) in seed wheat from Persia and covered smut (Ustilago hordei) in barley from the same source.

NOTES ON ENTOMOLOGICAL INTERCEPTIONS.

During the period covered, 307 species of insects were collected and identified, and, in addition, 558 interceptions were made, of which it was possible to allocate the insects to the family or genus only, due in many cases to the fact that the pests were represented by immature stages.

INSECTS IN SOIL.

Notwithstanding the fact that Regulation 3 of Quarantine 37, effective June 1, 1919, provides that foreign nursery stock and other plants must be free from soil, 13 shipments fouled with earth arrived at the inspection house, and upon examination were found to be infested with the following injurious insects:

Wireworms belonging to the genera Agriotes and Limonius were intercepted in shipments from Belgium, Ireland, and Holland.

Soil around herbaceous plants from Holland was infested with curculionid larvæ on two occasions, and larvæ of *Otiorhynchus sulcatus* were also intercepted in soil and packing from the same country. What appears to be an injurious Noctuid was taken in soil from Holland.

A species of injurious white ant arrived in soil from Brazil; namely, Leucotermes tenuis. This insect is considered the most destructive termite in the world, and is reported from San Domingo, the Bahama Islands, and Brazil. This termite has been introduced into the island of St. Helena, and was so destructive at Jamestown, the capital, that it was necessary to erect new buildings. Earth around roots of plants from Brazil was also infested with ants, Ponera sp., and larvæ of a Scarabaeid.

The European earwig, Forficula auricularia, which in recent years has become established at Seattle, Wash., and Newport, R. I., accompanied evergreen shrubs from Holland.

MISCELLANEOUS INSECTS.

Various tubers arriving at ports of entry and the inspection house in Washington have been found to be infested with injurious insects which are not established in the United States, the most important being sweet potatoes infested with the West Indian sweet potato-weevil, Euscepes batatae from Cuba, the British West Indies, and Porto Rico, and E. porcellus from Venezuela and the Bahama Islands. Yams from Jamaica were infested with Palaeopus costicollis,

and Irish potatoes from Denmark contained larvæ of a wireworm, Agriotes lineatus, which is considered very injurious to cereal crops in Europe.

A scale insect, Pseudaonidia duplex, which has recently become established in New Orleans and is causing considerable injury to the plants grown in that city, was collected on two occasions on citrus from Japan. Pyrus communis arriving from the same country was infested with Lepidosaphes conchiformis, and this insect was also collected on Ficus arriving from England.

The pink bollworm was intercepted on several occasions in cotton seed from Mexico, Egypt, and China. This insect also arrived from Holland in seed adherring to old bagging which had been previously used on cotton.

The sugar cane borer, *Metamasius sericeus*, and its color variety, *carbonarius*, were found on several occasions in shipments of bananas arriving at New Orleans from Spanish Honduras and Guatemala.

Fruit flies, Anastrepha sp., were taken in mangoes from Spanish Honduras, in Casimiroa edulis from Mexico, and guavas from Cuba; and A. fraterculus in guavas from the Isle of Pines and in mangoes, guavas, and Cuban plums from Cuba. A. striata was also collected in guavas from the same country. The spiny citrus white fly, Aleurocanthus woglumi, was intercepted on citrus and mangoes from Cuba and sapodillas from the Bahama Islands.

Several injurious avocado insects new to the United States were collected; such as, Conotrachelus perseae from Mexico and Costa Rica; Heilipus perseae from Panama and Stenoma catenifer from Spanish Honduras.

Other pests of importance intercepted include the European corn borer in broom corn from Italy, the gipsy and brown-tail moths, and the white tree pierid from France.

LIST, BY COUNTRIES, OF PESTS COLLECTED AND REPORTED FROM OCTOBER 1, 1919, TO DECEMBER 31, 1920, INCLUSIVE.

[All findings in the District of Columbia and those marked with an asterisk indicate Federal inspection.]

Country of origin and name of pest.	Host.	Collected in—
AFRICA.		
Insects:	T	D: 4: 4 C L L:
Alcides sp. (Curculionidae)	Ipomoea sp	District of Columbia.
Apion sp. (Curculionidae)	Zizyphus sp	Do.
Araecerus fasciculatus (coffee-bean weevil)	(?) (Seed)	Do.
Calendra oryzae (rice weevil)		Do.
Do	Zea mays (corn)	Do.
Do Chionaspis sp. (scale insect)	Mahohohoho	Do.
Hypothenemus sp. (Scolytidae)	Mukawaba (seed)	Do.
Lygaeus rivularis (Lygaeidae)	Composite.	Do.
Hypothenemus sp. (Scolytidae). Lygaeus rivularis (Lygaeidae). Mylabris sp. (Mylabridae).	Albizzia (seed)	Do.
Do	Combretum sp.	Do.
Olethreutid	(?) (Seed)	Do.
Pyralid	Swartzia madagascariensis	Do.
Do	Tree	Do.
Do		
Rhizoglyphus hyacinthi (bulb mite)	Asparagus sp	Do.
Spermophagus sp. (Mylabridae)	Afzelia sp	
Do	Diospyros mespiliformis	Do.
$\widetilde{\mathrm{Do}}$	Ipomoea sp.	Do.
Diseases:	TPOMOON SP	20.
Phyllachora graminis	Dioitaria exilia	Do.
Rhizoctonia solani	Solanum tuberosum	Louisiana.*
Tunizoc toma Bolani	Solumin vascrosum	130 dibitandi
ALGERIA.		
Insect:		
Ptinus brunneus (Ptinidae)	Beta macrocarpa	District of Columbia.
1 tinus brannous (1 tinuac)	Dota macrocarpa	Dibute of columbia.
ANGLO-EGYPTIAN SUDAN.		
Insect:	7	
Curculionid	Zizyphus mucronata	Do.
V WA V WAAV MA WAA A A A A A A A A A A A A A A A A	and breen measurements.	. ~~.

Country of origin and name of pest.	Host.	Collected in—
ARGENTINA.		
Insects:	7	N - 37 - 1 C' - K
Dermestes vulpinus (Dermestidae) Diatraea sp. (Pyralidae)		New York City.* Pennsylvania.*
Do		New York City.*
Lepidosaphes beckii (purple scale)		Florida.
Mylabris sp. (Mylabridae)	Prosopis panta.	District of Columbia.
Necrobia ruficollis (Cleridae)	. Zea mays (corn)	New York City.*
Necrobia rufipes (red-legged ham beetle)	. Bones.	Do.
Rhizoglyphus hyacinthi (bulb mite)	Hyacinthus sp. (bulbs)	Do.
Trox sp. (Scarabaediae)	Bones	Do.
Mottling (mosaic)	. Saccharum officinarum	District of Columbia.
AUSTRALIA.		
Insects:		
Anisolabis annulipes (earwig)	Platycerium sp	California.
Calendra oryzae (rice weevil)		District of Columbia.
Do Do		Do. Do.
Coccotrypes sp. (Scolytidae)	Kentia sp. (seed)	New York City.*
Monomorium sp. (ant)	. Platycerium sp	California.
Mylabrid	. Acacia bailevana (seed)	District of Columbia.
Do		Do.
Mylabris chinensis (Mylabridae)		Do. New York City.*
Olethreutid		District of Columbia.
Phthorimaea operculella (potato tuber moth)		Washington.*
Prenolepis obscura (ant)	. Platycerium sp	California.
Prenolepis sp. (ant)	do	Do.
Saissetia oleae (black scale)	Olea sp.	District of Columbia.
Sciara sp. (Mycetophilidae)		New York City.* District of Columbia.
Do	Lomatia fraseri	Do.
Tyroglyphus longior (mite)	Chrysanthemum	Do.
Diseases:		
Aspergillus ochraceus		Do.
Botrytis sp	Oryzopsis miliaceae	Do. Do.
Darluca filum	Danthonia semiannularis	Do.
Puccinia graminis.		Do.
Spongospora subterranea	. Solanum tuberosum	Washington.*
Uromyces danthoniae	Danthonia semiannularis	District of Columbia.
Uromycladium robinsoni	. Acacia melanoxylon	Do.
AUSTRIA.		
Insects: Syntomaspis druparum (apple-seed Chalcid)	Malus sylvestris (apple) (seed)	New York City.*
Tyroglyphus farinae (mite)	do	Do.
BAHAMA ISLANDS.		
Insects:	A share senate (senadilla)	Tilamida
Aleurocanthus woglumi (spiney citrus white fly) Aleurodothrips fasciapennis (Thrips)	Achras sapota (sapodilla)	Florida. Do.
Aleurodothrips sp. (thrips)		Do.
Aspidiotus lataniae (scale insect)	. Achras sapota (sapodilla)	Do.
Aspidiotus orientalis (scale insect)	Cocos nucifera (coconut palm) (2)	Do.
Calendra oryzae (rice weevil)	Zea mays (corn)	
Chloridea obsoleta (corn-ear worm) Do		Do. Do.
Cylas formicarius (sweet potato weevil)	Ipomoea batatas (sweet potato) (3)	Do. Do.
Diaspis boisduvalii (scale insect)	Cocos nucifera (coconut palm)	Do.
Diatraea sp. (Pyralidae)	. Saccharum officinarum (sugar cane)	Do.
Euscepes porcellus (Curculionidae)	. Ipomoea batatas (sweet potato)	Do.
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut palm) Unknown tree	Do. Do.

Country of origin and name of pest.	Host.	Collected in—
BAHAMA ISLANDS—continued.		
nsects—Continued.		
Pseudaonidia articulatus (rufous scale)	Achras sapota (sapodilla)	Florida.
Do		Do.
Do	Annona squamosa (sugar apple)	Do.
Do	Citrus sinensis (orange)	Do.
<u>D</u> o		Do.
Do	(?)	Do.
Pseudoparlatoria parlatorioides (scale insect)		Do.
Saissetia hemisphaerica (hemispherical scale)		Do.
Targionia sacchari (scale insect)		Do.
Vinsonia stellifera (scale insect)	Achras sapota (sapodilla)	Do.
BARBADOS.		
nsects:		
Calendra oryzae (rice weevil)	Holcus sorghum (seed)	District of Columbia Do.
oromoga cerearena (ringoumors grant motif)		ъ.
BELGIAN CONGO.		
Anthribid.	Copaifera mopane	District of Columbia
Do	Kapimpi	Do.
Apion sp. (Apionidae)	Grass (seed)	Do.
Araecerus fasciculatus (coffee-bean weevil)	Manihot utilissima (cassava)	Do.
Calendra oryzae (rice weevil)	Holcus sorghum (seed) (12)	Do.
Do	Pennisetum (seed)	Do.
$\overline{\mathrm{D}}_{\mathrm{O}}$.	Phaseolus aureus (bean)	Do.
Do	Triticum aestivum (wheat)	Do.
$\widetilde{\mathrm{D}}_{\mathrm{0}}$	Vigna sinensis (cowpeas) (2)	Do.
Do	Yellow corn	Do.
D ₀	Zea mays (corn) (4)	Do.
Do	Eleusine coracana (seed)	Do.
Caryoborus sp. (Mylabridae)	Bauhinia sp	Do.
Cathartus advena (foreign grain beetle)	Ananas sativus (pineapple)	Do.
Do	Hyphaene	Do.
Do	Melon (seed)	Do.
Ceratitis sp. (Trypetidae)	Landolphia.	Do.
Chionaspis sp. (scale insect)	(?) (Tree)	Do.
Cosmopterygid	(?) (Seed of evergreen tree)	Do.
Curculionid	Brachystegia sp	Do.
Ensina sp. (Trypetidae)	Bidens pilosa	Do.
Ephestia sp. (Pyralidae)	Brachystegia (seed)	Do.
Do	Pennisetum (seed)	Do.
Do	(?) (Seed)	Do.
Eurytoma sp. (Eurytomidae)	Landolphia florida (rubber tree)	Do.
Do	(?) (Tree seed)	Do.
Eurytomid	Crotalaria sp. (seed)	Do.
Do	Legume	Do.
Do	Vigna sinensis (cowpea) (seed)	Do.
Gelechioid	Photinia majobolo (?) (evergreen tree).	Do.
Glyptina sp. (Chrysomelidae)	Beans.	Do.
Lamophloeus pusillus (Cucujidae)	Beans.	Do.
\mathbf{p}_{0}	Holcus sorghum (seed)	Do.
$\mathbf{D_0}$	Holcus sorghum sudanensis (Sudan	Do.
	grass).	
Do	Zea mays (corn)	Do,
Lepidosaphes alba (scale insect)	Manihot utilissima (cassava)	Do
Mylabris chinensis (Mylabridae)	Beans	\mathbf{Do}
Mylabris obtectus (bean weevil)	Beans (16)	Do
Do	Vigna sinensis (cowpeas)	Do
Mylabris phaseoli (Mylabridae)	Beans.	Do.
Mylabris quadrimaculatus (four-spotted bean	Seeds of small green pea	Do.
weevil). Do	Viene sinongia (governosa) (9)	Do
DO	Vigna sinensis (cowpeas) (2)	Do.

Country of origin and name of pest.	Host.	Collected in—
BELGIAN CONGO—continued.	,	•
Insects—Continued.		
Mylabris sp. (Mylabridae)	Acacia sp	District of Columbia.
Do	Beans	Do, Do.
Do	Sphenostylis stenocarpa	Do. Do.
Do	(?) Tree	Do.
Do	(?) Woody vine	Do.
Pheidole megacephala (ant)	BéansEugenia jambos (rose apple)	Do.
Pheidole sp. (ant)Phycitid	(?) Seed	Do. Do.
Plodia interpunctella (Indian meal moth)	(?) Seed	Do.
Pyralid	Mongonga	Do.
	Ricinus communis (castor-oil bean)	Do.
Do Do	Soap fruit	Do.
Rhizoglyphus hyacinthi (bulb mite)	(?) Seed pods	Do. Do.
Rhizopertha dominica (lesser grain borer)	Holcus sorghum (seed) (2)	Do.
Do	Zea mays (corn) (seed)	Do.
Ripersia sp. (scale insect)	Bulb (2)	Do.
Selenocephalus africanus (Cicadellidae)	Tricholaena rosea (seed)	Do.
Silvanus surinamensis (saw-toothed grain beetle) Spermophagus sp. (Mylabridae)		Do. Do.
Stephanoderes sp. (Scolytidae)	Euphorbia sp.	Do. Do.
Tribolium confusum (confused flour beetle)	Holcus sorghum (kafir corn)	Do.
<u>D</u> o	Majoda kafir melon (seed)	Do.
Do		Do.
Tribolium ferrugineum (rust-red flour beetle) Tropideres sp. (Anthribidae)	Holcus sorghum (seed)	Do. Do.
Disposes.		D0.
Haplobasidium sp	Manihot utilissima	Do.
Phlyctaena sp.	do	Do.
Spegazzinia ornata	Oxalis sp.	Do.
BELGIUM.		
Insects: Aspidiotus britannicus (scale insect)	Lauris sp. (laural)	District of Columbia.
Coccus hesperidum (soft brown scale)	ldo	Do.
Eucalymnatus tessellatus (tessellated scale)	do	Pennsylvania.
Limonius sp.(Elateridae)	Soil about azalea roots	District of Columbia.
Disease: Exobasidium sp	Aralas ismanias	Τ.,
Exobasidium sp	Azalea japonica	Do.
BERMUDA. Insects:		
Catorama sp. (Anobiidae)		Pennsylvania.
Coccotrypes sp. (Scolytidae)	do	Do.
Rhizoglyphus hyacinthi (búlb mite) Do		Louisiana.* District of Columbia.
Tyroglyphid (mite)	Tulipa sp. (bulb)	Louisiana.*
вонеміа.		
Insect:		
Lepidosaphes ulmi (oyster-shell scale)	Pyrus communis (pear)	District of Columbia.
BRAZIL.		:
Insects:	(2) II-l	District of Column 1.
Aleyrodes sp. (white fly)	(?) Unknown plant	District of Columbia.
Anthocorid		Do. Do.
Aspidiotus lataniae (scale insect)	Ficus sp	Do.
Calendra oryzae (rice weevil)	Carica sp	Do.
Do		New York City.*
D _a	Month of utilization of former district	
Do		Do. District of Columbia

Country of origin and name of pest.	Host.	Collected in—
BRAZIL—continued.		
Insects—Continued.		
Carpophilus hemipterus (Nitidulidae)	Guilielma speciosa	District of Columbia.
Do	Manihot utilissima (mandioca)	New York City.* District of Columbia.
Cathartus sp. (Cucujidae)	Araucaria sp	District of Columbia.
Cerambycid.	Wood	Do.
Chionaspis citri (scale insect)	Citrus sinensis (orange)	Florida.
Coccus viridis (scale insect)	Achras sapota (sapodilla)	District of Columbia.
Do	Chrysophyllum cainito	Do
Desmometopa tarsalis (Agromyzidae) Diaspis sp. (scale insect)	Manihot utilissima (mandioca) Orchids	New York City.* District of Columbia.
Drosophila amoena (Drosophilidae)	Platonia insignis	District of Columbia.
Drosophila repleta (Drosophilidae)	Manihot utilissima (mandioca)	New York City.*
Drosophila sp. (Drosophilidae)	do	Do.
Drosophila sp. (Drosophilidae)	do	Do.
Forficulid (earwig). Gnamptogenys sp. (ant)	do	Do. Do.
Gnamptogenys sp. (ant)	Gossypium sp. (cotton)	Do.
Hemichionaspis minor (scale insect)	Caesalpinia sp	District of Columbia.
Do	Machaerium allemanii	Do.
Hemichionaspis sp. (scale insect)	Ficus sp.	Do.
Howardia biclavis (mining scale)	Mimusops coriacea	Do.
Do	Tecoma chrysotricha	Do.
Ischnaspis longirostris (thread scale)	Ixora coccinea	Do.
Do	Quartia sp	Do.
Leucotermes tenuis (termite)	In soil	Do.
Lonchaea sp. (Sapromyzidae)	Lucuma rivicoa (seeds)	Do. Do.
Do Microvelia sp	Theobroma sp. (cotton)	Do.
Mylabrid	Virola sebifera	Do.
Mylabris obtectus (bean weevil)	Beans	New York City.*
Mylabris sp. (Mylabridae)	Legumes	District of Columbia.
DoOdontomachus haematoda (ant)	Medicago Mammea americana (mamey)	Do.
Do	Packing about orchids	Do.
Pheidole megacephala (ant)	do	Do.
Philygria picta (Éphydridae)	(?)	Do. Do.
Ponera sp. (ant)	Soil about roots of plants	$\mathbf{Do.}$
Do	Physalis angulata	Do.
Pseudaonidia articulatus (scale insect)	Physalis angulata	Do.
Pseudaonidia trilobitiformis (scale insect)	Grass	Do.
Pseudococcus adonidum (long-tailed mealy bug). Do	Chrysophyllum cainito	Do.
Do	Theobroma cacao (chocolate)	Do.
Pseudopachymerus sp. (Mylabridae)	Legumes	Do.
Pseudoparlatoria parlatorioides (scale insect) Pulvinaria psidii (scale insect)	Orchids	Do. Do.
Pulvinaria psidii (scale insect)	Mammea americana (mamey) Beans	New York City.*
Pyralid Do	Gossypium sp. (cotton)	Do.
Rhizoglyphus sp. (mite)	Guilielma speciosa	District of Columbia.
Do	Manihot sp. (cuttings)	Do.
Do	Theobroma cacao (seed pod) Theobroma sp	Do. Do.
DoSaissetia hemisphaerica (hemispherical scale)	Chrysophyllum cainito	Do.
Saissetia oleae (black scale)	Cassia sp	Do.
Saissetia sp. (scale insect)	Chrysophyllum cainito	Do.
Scarabaeid.	Soil around roots of plants	Do. Do.
Silvanus surinamensis (saw-toothed grain beetle) Stelidota sp. (Nitidulidae)	Theobroma cacao (chocolate) In soil	Do. Do.
Tenebrio molitor (yellow meal worm)	Gossypium sp. (seed)	New York City.*
Tetraleurodes mori (white fly)	Moquila tomemtosa	District of Columbia.
Tineid	Orchids	Do. New York City.*
Tribolium ferrugineum (rust-red flour beetle)	Oryza sauva (rice)	I New TOTK OILY."

Country of origin and name of pest.	Host.	Collected in—
BRAZIL—continued.		*
Diseases:		
Diplodia cacaoicola	Theobroma sp	District of Columbia.
Diplodia manihotis.	Manihot	Do.
BRITISH EAST AFRICA.		
Bruchobius sp. (Pteromalidae)	. (?) (Seed)	District of Columbia.
Calendra oryzae (rice weevil)		Do.
Do	Holcus sorghum (kafir corn)	Do.
Do	Triticum aestivum (wheat)	Do.
Do		Do.
Epyris sp. (Bethylidae)	(?) (Seed)	Do.
Eurytoma sp. (Eurytomidae)	do	Do.
Lonchasa sp. (Sapromyzidae)	Sula seed	Do.
Monomorium sp. (ant)	Hibiscus sp. (leaves)	Do.
Mylabris obtectus (bean weevil)	Beans (mixed)	Do.
Mylabris quadrimaculatus (four-spotted bean	do`	Do.
weevil).		
Mylabris sp. (Mylabridae)	Dolichos lablab (seed)	D_0 .
Do	Erythrina sp. (seed)	Do.
Do	. Mimosa sp	$\mathbf{Do.}$
Pheidole sp. (ant)	Grass (seed)	Do.
Sitotroga cerealella (Angoumois grain moth)	Durro seed	Do.
Spermophagus sp. (Mylabridae)	. Acacia sp. (seed)	Do.
DoZonabris kersteni (Meloidae)	. Hibiscus sp	Do.
Zonabris kersteni (Meloidae)	do	Do.
BRITISH GUIANA.		-
Disease: Thielaviopsis paradoxa	Saccharum officinarum	Louisiana.
BRITISH WEST INDIES.		
nsects:	1.5	
Asterolecanium pustulans (scale insect) Euscepes batatae (West Indian sweet potato	Manihot sp	District of Columbia. New York City.*
weevil). Hemichionaspis minor (scale insect)	Manihot sp	District of Columbia.
Lepidosaphes alba (scale insect)	Citrus aurantifolia (lime)	Do. New York City.*
DoPyralid	Citrus sinensis (orange)	Do. California.
CANADA.		
Insects:		
Diaspis cattleyae (scale insect)	Epidendrum nemorale (orchid)	District of Columbia
Lampyrid	. Malus sylvestris (apple)	Massachusetts.
Phorbia brassicae (Anthomyidae)	Brassica rapa (turnips)	Pennsylvania.*
Diseases:		
Bacterium tumefaciens		District of Columbia
Gloeosporium venetum		Do.
Leptothyrium pomi	. do	Do.
CANAL ZONE.		
Disease:		
Diplodia sp	Cocos nucifera	Florida.
CANARY ISLANDS.		
insect:		
Insect: Pseudococcus bromeliae (pineapple mealy bug).	Musa sp. (banana)	Florida.
Insect:	• ' '	Florida. Louisiana.*

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
CAPE PROVINCE.		
iseases: Cephalothecium roseum		District of Columbia
D ₀	Protea susanea	Do.
Penicillium digitatum		California.
Penicillium sp		District of Columbia
DoTrichoderma sp	Protea susanea Virgilia capensis	Do. Do.
Uromyces aloes	Aloe mesambryanthemoides	Do. Do.
CENTRAL AMERICA.		
isease:	16	D
Acrostalagmus sp	Musa sp	District of Columbia
CEYLON.		
Corcyra cephalonica (Pyralidae)	Dioscorea sp. (yam)	California.
Niptus sp. (Ptinidae)	Desfontainia ilicifolia	District of Columbia
Phthorimaea operculella (potato tuber moth).	Solanum tuberosum (Irish potato)	Louisiana.*
Rhizoglyphus hyacinthi (bulb mite)	Magosteen seeds	District of Columbia
CHINA.		
nsects:	Titchi planta	District of Columbia
Aleuromigda n. sp. (white fly)	Litchi plants	District of Columbia Louisiana.*
Antonina sp. (scale insect)		District of Columbia
Araecerus fasciculatus (coffee-bean weevil)	Thea sp. (tea)	California.
Aspidiotus lataniae (scale insect)	Bauhinia blakeana	District of Columbia
Aspidiotus perniciosus (San Jose scale)	Pyrus communis (pear)	Do.
Aspidiotus sp. (scale insect)	Citrus ichangensis	Do.
D ₀	Pyrus communis (pear)	Do.
Calendra oryzae (rice weevil)	Cucumis sativus (cucumber) (seed)	Do.
Do		California. District of Columbia
D ₀	Celesia an	District of Columbia
Do		Do.
D ₀	Dioscorea sp. (vams)	California.
Chrysomphalus aurantii (red scale of California). Citrus nobilis (mandarin orange)	District of Columbia
Coccus sp. (scale insect)	Citrus ichangensis	Do.
Do		Do.
Emporius signatus (Cucujidae) Ephestiid	Dioscorea sp. (yams)	California.
Hemichionaspis aspidistrae (Aspidistra scale).	Juglans sp. (walnut) (meats)	Do. Washington.*
Hypothenemus sp. (Scolytidae)	(?) (Dried twigs)	California.
Laemophloeus pusillus (Cucujidae)	Allium sativum (garlic)	District of Columbia
D_{0}	Oryza sativa (rice)	California.
Lecanium sp. (scale insect)	Pyrus communis (pear) (5)	District of Columbia
Lepidosaphes sp. (scale insect)	Pyrus communis (pear) (6)	Do.
Leucaspis japonica (scale insect)	Pyrus communis (pear) (4)	Do.
Lophocateres pusillus (Ostomidae)	Beans(?) (Dried twigs)	California.
Minthea rugicollis (Lyctidae)	Chenopodiaceae.	Do. District of Columbia
Do	Evergreen ("Juk berry")	Do.
D ₀	Herbs	California.
Mylabris chinensis (Mylabridae)	Black bean (seed)	District of Columbia
Do	Small green pea	Do.
Mylabris sp.	Gleditsia sinensis	Do.
Parlatoria chinensis (scale insect)	Pyrus communis (pear)	Do.
Parlatoria pergandei (chaff scale) Do		Washington.* District of Columbia
D_0		District of Columbia
Do		Do. Do.
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton) (2)	Do.
Prenolepis sp. (ant)	Dioscorea sp. (yams)	Honolulu.
Psvllid	Pyrus communis (pear)	District of Columbia
Pulvinaria sp. (scale insect)	do	Do.

Country of origin and name of pest.	Host.	Collected in—
CHINA—continued.		
Insects—Continued. Pyralid	Cryptamenia japonica	District of Columbia.
Do	Helianthus sp. $(sunflower)$ (2)	Do.
Rhizoglyphus rhyacinthi (bulb mite)	Narcissus sp. (bulbs)do.	Louisiana.* Washington.*
Rhizoglyphus rhizophagus (mite)	Litchi plants.	District of Columbia.
Setomorpha insectella (Tineidae)	Bird seed	California.
Do	Dioscorea sp. (yams)	Do.
Sitotroga cerealella (Angoumois grain moth) Solenopsis geminata var. rufa (ant)	Paddy rice	Do. District of Columbia.
Tenebrioides mauritanica (Trogositidae)	Gossypium sp. (cotton) (seed)	Louisiana.*
Trypetid	Citrus ichangensis	District of Columbia.
Tyroglyphid	Zizyphus jujuba	Do.
Tyroglyphus longior (mite)	Nephelium longana	Do.
Diplodia castaneae	Castanea sp	Do.
Phomopsis citri	Citrus grandis	Washington.*
Puccinia helianthi	Helianthus annuus	District of Columbia.
Uromyces setariae italicae	Chaetochloa italica	Do.
COLOMBIA.		4
Insects:	A	District of Octoor 1sts
Aspidiotus hederae (ivy scale)	Ananas sativus (pineapple) (shoots) Cocos nucifera (coconut)	District of Columbia. Florida.
Calendra oryzae (rice weevil).	Zea mays (corn).	District of Columbia.
Cathartus cassiae (Cucujidae)	do	Do.
Chrysomphalus sp. (scale insect)	Ficus sp	Do.
Diaspis boisduvalii (scale insect)	Silk grass Persea gratissima (avocado)	Do. Do.
Hypothenemus sp. (Scolytidae)	Palm (seed)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.
Monomorium destructor (ant).	Ochrona lagopus	New York City.*
Pagiocerus rimosus (Scolytidae)	Zea mays (corn)	District of Columbia.
Pseudaonidia sp. (scale insect)	Persea gratissima (budwood)	Do.
Pseudococcus bromeliae (scale insect)	Ananas sativus (pineapple) (shoots)	Do.
Pyralid	Gossypium sp. (cotton)	Louisiana.*
COSTA RICA.		
Insects: Anthonomus grandis (Mexican cotton boll	Gossypium sp. (cotton)	District of Columbia.
weevil).	dossy prum sp. (could)	District of Columbia.
Aspidiotus cyanophylli (scale insect)	Dahlia sp.	Do.
Aspidiotus lătaniae (scale insect)	Dahlia sp. (2)	Do. Do.
Do	Persea sp.	Do.
Do		Do.
Aspidiotus sp. (scale insect)	Citrus sinensis (orange)	Do.
Do	Persea gratissima (avocado)	Do. Do.
Camponotus sp. (ant)	Dahlia sp	Do.
Carpophilus dimidiatus (Nitidulidae)	Bunchosia sp	Do.
Do	Sapindaceae (seed)	Do. Do.
Chrysomphalus perseae (scale insect)		Do. Do.
Chrysomphalus sp. (scale insect)	Passiflora quadrangularis (cuttings)	Do.
Coccus acuminatus (scale insect)	Nerium oleander (oleander)	New York City.*
Conotrachelus perseae (weevil)		Louisiana.* District of Columbia.
Howardia biclavis (mining scale)	Annona muricata (sour sop)	Do.
Do	Coffea sp. (coffee)	Florida.
Do	Dahlia sp.	District of Columbia.
Do (purple scate)	Citrus sinensis (orange)do.	Do. Louisiana.*
Do	Crotons and cut flowers.	District of Columbia.

Country of origin and name of pest.	Host.	Collected in—
COSTA RICA—continued.		
nsects—Continued.		
Lepidosaphes sp. (scale insect)	Orchid	New York City.*
Monomorium pharaonis (ant)	Crotons and cut flowers	Louisiana.*
Myzus sp. (Aphidinae)	Solanum tuberosum (potato)	District of Columbia
Orthezia insignis (scale insect)	Nerium oleander (oleander)	New York City.*
Pheidole punctatissima (ant)	Dahlia sp. (cuttings)	District of Columbia
Pheidole sp. (ant)	. do	Do.
Phthorimaea operculella (potato tuber moth)	Solanum tuberosum (potato)	Do.
Phycid Protopulvinaria pyriformis (scale insect)		Do. New York City.*
Pseudaonidia articulatus (rufous scale)	Nerium oleander (oleander)	Do.
Saissetia hemisphaerica (hemispherical scale)		Do.
Setomorpha insectella (Tineidae)	Bunchosia sp. (seed).	District of Columbia
Silvanus signatus (Cucujidae)	Sapindaceae (seed)	Do.
Silvanus vulgaris (Cucuiidae)	. dodo_	Do.
Triphleps sp. (Anthocoridae)	do	Do.
CUBA.		'
sects:		
Aleurocanthus woglumi (spiney citrus white fly).	Citrus aurantifolia (lime) (2)	Florida.
<u>D</u> o	Citrus grandis (grapefruit) (2)	Do.
Do	Mangifera indica (mango)	Do.
Aleurothrixus howardi (woolly white fly)	Citrus aurantifolia (lime) (2)	Do.
Do	Citrus grandis (grapefruit) (3)	Do. Do.
Do	Mangifera indica (mango)	Do.
Do	Psidium guajava (guava) (5)	Do.
D ₀		Do.
Anastrepha striata (fruit fly)		Do.
Anastrepha sp. (fruit fly)	. do	Do.
Aphid	. Bougainvillea sp	Do.
Do		Do.
Aspidiotus cyanophylli (scale insect)		Do.
Aspidiotus destructor (scale insect)	. Cocos nucifera (coconut palm) (41)	Do. Do.
Do		Do.
Do	1 - 14 - 4 - 4 - 4	Do.
D 0	tree).	20.
Do	Ricinus communis (castor bean)	Do.
Do	. Vine	Do.
Aspidiotus fabernii (scale insect)	. Annona squamosa (sugar apple)	Do.
Aspidiotus lataniae (scale insect)		Do.
Do		Do. Do.
Do	Aralia sp	Do.
Do		
Do		Louisiana.*
Do	TI	Florida.
Do	. Cycas sp. (sago palm)	Do.
Do		Do.
Do	. Saw grass	Do.
Do	Unknown plant	Do.
Aspidiotus orientalis (scale insect)	Annona squamosa (sugar apple)	
Do	. Cocos nucifera (coconut palm) (50)	Do. Do.
Do Do	Cycas revoluta (palm) Cycas sp. (sago palm) (2)	Do.
Do	Murraya exotica	
Do	Musa sp. (banana)	l <u> </u>
Do	. Palm	Do.
Aspidiotus subsimilis anonae (scale insect)		
Do	. Unknown tree	
Do	. Unknown	1
Do	. Vine	
Aspidiotus sp. (scale insect)	. Acrocomia sclerocarpa (corojo palm)	l Do.

Country of origin and name of pest.	Host.	Collected in-
cuba—continued		
sects—Continued.		
Aspidotus sp. (scale insect)		Florida.
<u>D</u> o		Do.
<u>D</u> o		Do.
Do		Do.
Asterolecanium bambusae (bamboo scale)		Do.
Asterolecanium pustulans (scale insect)	Jasminum sp. (jasminė) (2)	Do.
<u>D</u> o	Nerium oleander (oleander)	Do.
<u>D</u> o	Vine	Do.
Do		Do.
Calendra oryzae (rice weevil)	Zea mays (corn) (2)	Do.
Carpophilus sp. (Nitidulidae)	- Ipomoea batatas (sweet potato)	Do.
Cathartus advena (foreign grain beetle)	Cocos nucifera (coconut)	Do.
Chionaspis citri (scale insect)	Citrus aurantifolia (lime)	Do.
Do		Do.
Chloridea obsoleta (corn earworm)		Do.
Chrysomphalus aonidum (Florida red scale)		Do.
\mathbf{D}_{0}		Do.
<u>D</u> o	(8-1-F-1-1-1)	Do.
<u>D</u> o		Do.
<u>D</u> o		Louisiana.*
Do		Florida.
Do	(Do.
Do		Do.
<u>D</u> o		Do.
Do		Do.
Do		Do.
Chrysomphalus dictyospermi (scale insect)		Do.
Do		Do.
Do	Rosa sp. (rose)	Do.
Coccus hesperidum (soft brown scale)		Do.
Do	(B-u-r-) (-)	· Do.
Do	(Do.
Do		Do.
Do		Do.
Conchaspis angraeci (scale insect)		Do.
Cylas formicarius (sweet-potato weevil)		Do.
Do	Ipomoera batatas (sweet potato) (2)	Louisiana.*
Dialeurodes citrifolii (white fly).	Citrus aurantifolia (lime)	Florida.
Diaspis boisduvalii (scale insect)		Do.
Diaspis echinocacti cacti (scale insect)		Do.
Diaspis pentagona (West Indian peach scale) Diatraea saccharalis (sugar-cane moth borer)		Do.
Diatraea saccharans (sugar-cane moth borer)	Saccharum officinarum (sugar cane) (3).	Do.
Diatraea sp. (Pyralidae)		Do.
Drosophila punctulata (Drosophilidae)	Solanum tuberosum (potato)	Louisiana.*
Euscepes batatae (sweet-potato weevil)	Ipomoea batatas (sweet potato)	Do.
Haplothrips merrilli (Thrips)	Cocos nucifera (coconut palm) (3)	Florida.
Haplothrips sp. (Thrips) Hemichionaspis aspidistrae (Aspidistra scale)	Cocos nucifera (coconut palm (9)	Do.
Do		Do.
Do	- Cocos nucifera (coconut palm)	Do.
Hemichionaspis minor (scale insect)	Palm	Do.
Do		Do. Do.
Do		Do.
Do	- Jorganna of the state of the	
Do		Do. Do.
Do		Do.
Do		Do. Do.
Do		Do.
Hemichionaspis sp. (scale insect)	Tulipa sp. (tulip tree) (2)	Do.
Do		Do.
Howardia biclavis (mining scale)		Do.
Do	Carica papaya (papaya)	Do.
Do	Casuarina equisetifolia (Australian	Do.
= 3	pine).	20.

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
cuba—continued.		
sects—Continued.		
Howardia biclavis (mining scale)	Citrus sinensis (orange)	Florida.
Do	Coffee on (coffee)	Do.
Do Do	Coffea sp. (coffee) Ficus sp. (fig)	Do. Do.
· Do	Lucuma nervosa ("canistel")	Do. Do.
Do	Mammea americana (mamey)	Do.
Do	Pachira fastuosa (cuttings) (2)	District of Columbia
Do	Unknown	Florida.
Laemophloeus pusillus (Cucujidae)	Solanum tuberosum (potato)	Louisiana. *
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (5)	Florida.
Do	Citrus grandis (grapefruit) Citrus grandis (grapefruit) (5)	District of Columbia. Florida.
Do	Citrus limonia (lemon) (2)	Do.
Do	Citrus nobilis (tangerine) (3)	Do.
Do	Citrus sinensis (orange) (16)	Do.
Do	Citrus sp. (6)	Do.
<u>D</u> o	Murraya exotica	Do.
Do	(?) (2)	Do.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	Do. District of Columbia.
Do Lepidosaphes sp. (scale insect)	Citrus grandis (grapefruit) Palm	Florida.
Lonchaea sp. (Sapromyzidae)	Ipomoea batatas (sweet potato)	Louisiana. *
Parlatoria pergandei (chaff scale)	Asparagus sp.	Florida.
Do	Citrus grandis (grapefruit) (3)	Do.
Do	Citrus nobilis (tangerine)	Do.
<u>D</u> o	Citrus sinensis (orange) (2)	Do.
Do	Croton (4)	Do.
Do	Mangifera indica (mango)	Do. Do.
Prenolepis sp. (ant)	Saccharum officinarum (sugar cane) Citrus aurantifolia (lime) (3)	Do. Do.
Do	Citrus grandis (grapefruit)	District of Columbia.
$\widetilde{\mathrm{Do}}$	Citrus grandis (grapefruit) (5)	Florida.
Do	Citrus sinensis (orange)	Do.
Do	Citrus sp. (2)	Do.
<u>D</u> o	Coffea sp. (coffee) (3)	Do.
Do	Croton (3)	Do.
Do	Jasminum sp. (jasmine)	Do. Do.
Do.	Nerium oleander (oleander)	Do.
Do	Palm.	Do.
Pseudaonidia tesserata (scale insect)	Vine (3)	Do.
Pseudischnaspis alienus (scale insect)	Annona squamosa (sugar apple) (2)	Do.
<u>D</u> o	Caladium sp	Do.
$\mathbf{p}_{\mathbf{o}}$	Jasminum sp. (jasmine)	Do.
Do	Mammea americana (mamey)	Do. Do.
Do Do	Melia azedarach (chinaberry) Psidium guajava (guava)	Do. Do.
Do	Rosa sp. (rose)	Do.
Do	(?) Unknown soft plant	Do.
Pseudococcus adonidum (long-tailed mealy bug)	Croton	Do.
Do	Succulent plant	Do.
Do Pseudococcus bromeliae (pineapple mealy bug).	Unknown tree	Do.
Pseudococcus bromeliae (pineapple mealy bug).	Artocarpus incisa (breadfruit)	Do.
Pseudococcus citri (citrus mealy bug)	Musa sp. (banana)	Do. Do.
Pseudococcus longispinus (long-tailed mealy bug)	Orchid	Do.
Do	Vine	Do.
Do	Annona reticulata (custard apple)	Do.
Do	Rosa sp. (rose)	Do.
Pseudococcus sacchari (mealy bug)	Saccharum officinarum (sugar cane) (3).	Do.
Pseudococcus virgatus (mealy bug)	Croton (2)	Do.
Pseudococcus sp. (mealy bug)		Do.
Do		Do.

Country of origin and name of pest.	Host.	Collected in-
CUBA—continued.		
Insects—Continued. Pseudococcus sp. (mealy bug)	Seesharum officinarum (gugar cana) (2)	Florida.
Do	Saccharum officinarum (sugar cane) (2). Tripsacum latifolium	District of Columbia.
Pseudoparlatoria parlatorioides (scale insect)	Croton	Florida. Do.
DoPulvinaria pyriformis (scale insect)	Psidium guajava (guava)	$\mathbf{Do.}$
Pyrophorus noctilucus (Elateridae)	Saccharum officinarum (sugar cane)	Do.
Rhizoglyphus longitarsis (mite)	Solanum tuberosum (potato)dodo	Louisiana.* Do.
Saissetia hemisphaerica (hemispherical scale)	Bryophyllum sp.	Florida.
D_0	Bryophyllum sp Citrus aurantifolia (lime)	Do.
Do Do	Cycas sp. (sago palm)	Do. Do.
Do	Unknown (2)	Do. Do.
Saissetia oleae (black scale)	Amygdalus communis (almond)	Do.
Do Do	Mammea americana (mamey)	Do. Do.
Solenopsis sp. (ant)	Dioscorea sp. (yam)	Do. Do.
Targionia sacchari (scale insect)	Saccharum officinarum (sugar cane) (12)	Do.
Targionia sp. (scale insect) Trialeurodes floridensis (white fly)	Tulipa sp. (tulip)	Do. Do.
Diseases:	Mammea americana (mamey)	10.
Actinomyces scabies	Solanum tuberosum	Louisiana.*
Basisporium gallarum Black melanose	Tripsacum latifolium	District of Columbia.
Do	Citrus grandis.	Do.
Cladosporium citri	ldo	Do.
Diplodia sp	Cocos nucifera	Do. Do.
Do	ldo	District of Columbia.
Puccinia polysora	Tripsacum latifolium	Do. Florida.
	Saccharum omemarum (2)	riorida.
CURACAO ISLAND. Insect:		
Spermophagus sp. (Mylabridae)	Manzanula seeds	District of Columbia.
DENMARK.		
Insects: Agriotes lineatus (Elateridae)	Solonym tuhorogum (notata)	Now Vouls City
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato)	New York City.* Pennsylvania.*
DOMINICAN REPUBLIC.		
Insects: Catorama sp. (Anobiidae)	Divi-divi seed pods	Florida.
Mylabris obtectus (bean weevil)	do	Do.
DUTCH GUIANA.		
Insects: Aspidiotus lataniae (scale insect)	Citrus sinensis (orange)	District of Columbia
Lepidosaphes beckii (purple scale)	do	Do.
Pseudaonidia articulatus (scale insect)	. do	Do.
ECUADOR.		
Insects: Coccus hesperidum (soft brown scale)	Anthurium sp	Florida.
Mylabris sp. (Mylabridae)	Legume	District of Columbia.
Pulvinaria sp. (scale insect)	Anthurium sp	Florida.
Rhizoglyphus phylloxerae (mite)	I THEODIOMA CACAO (COCOA) (Seed)	District of Columbia.
EGYPT.		
Insects: Chrysomphalus aonidum (Florida red scale)	Citrus sp	District of Columbia.
Chrysomphalus aonidum (Florida red scale) Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton)	Pennsylvania.*
क करने भी दें		•

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
EGYPT—continued.		
Insects—Continued. Pheidole megacephala (ant) Phoenicococcus marlatti (scale insect) Pseudococcus citri (citrus mealy bug) Rhizoglyphus sp. (mite)	Phoenix dactylifera (date palm)do Citrus sp Colocasia sp	California. District of Columbia. Do. Do.
	Colocasia sp.	D 0.
ENGLAND. Insects:		
Agromyzid	Orchids	District of Columbia.
Anommatus 12-striatus (Colydiidae)	Paeonia sp. (peonies)	Do. Do.
Anuraphis sp. (Aphididae)	Iris alberti.	Do.
Aspidiotus lataniae (scale insect)	Palm	Pennsylvania.*
Aspidiotus spinosus (scale insect)	Haworthia glabrata	District of Columbia.
Do	Haworthia hybrida	Do.
Do	Haworthia rigida Iris tingitana	Do. Do.
Carthartus advena (Cucujidae)	do	Do.
Cecidomvid	Iris sp. (roots)	Do.
Coccus hesperidum (soft brown scale)	Haworthia glábrata	Do.
<u>D</u> o	Haworthia hybrida	Do.
Do	Haworthia rigida	Do.
Curculionid	Polyanthus. Orchids (3)	Do. Do.
Diaspis bromeliae (scale insect)	Orchids.	Do. Do.
Emphytus cinctus (sawfly)	Manetti rose stocks (3)	Connecticut.
Do	ldo	Illinois.
Do	Manetti rose stocks	Indiana.
Gelechiid	Dianthus allwoodii	District of Columbia.
Hepialus lupulinus (Hepialidae)	Paeonia sp. (peony) (roots)	Do.
Lecanium corni (European fruit Lecanium)	Carnation	Do. Do.
Lepidosaphes conchiformis (scale insect)	Ficus sp. (fig)	Do.
Macrosiphum circumflexum (Aphididae)	Chrysanthemum sp. (seedling)	Do.
Macrosiphum sp. (Aphididae)	Packing about dahlias	Do.
Myzus persicae (Aphididae)	Dianthus allwoodii	Do.
Phytomyza affinis (Agromyzidae)	Chrysanthemum sp. (seedlings) Renanthera imschootiana	Do. Do.
Pulvinaria floccifera (scale insect)	Dahlia sp	Do. Do.
Do	Iris sp. (roots).	Do.
Do	Lilium krameri	Do.
Rhizoglyphus rhizophagus (mite)	Narcissus sp. (bulbs) (2)	New York City.*
Rhizoglyphus sp. (mite)	Gladiolus sp. (bulbs)	District of Columbia.
Do Sciara sp. (Mycetophilidae)	Paeonia sp. (peony) (roots)	Do. Do.
Do	Chrysanthemum sp. (seedlings) Iris sp. (roots)	Do. Do.
Tipulid.	In soil.	Massachusetts.
Tortricid	Corylus sp. (filbert trees)	District of Columbia.
Do	Sphagnum (packing around Manetti rose stocks).	Pennsylvania.*
Tribolium ferrugineum (rust-red flour beetle)	Ricinus sp	District of Columbia.
Diseases:	112011110 op	District of Coldingia,
Actinomyces scabies	Solanum tuberosum (2)	Louisiana.*
Bacterium tumefaciens	Rosa sp. Iris sp. (Ossian-Shelford Giant)	Connecticut.
Botrytis cinerea	Iris sp. (Ossian-Shelford Giant) Dianthus allwoodii	District of Columbia.
Fusarium sp	Solanum tuberesum	Do. Louisiana.*
Oospora pustulans	Solanum tuberosum (2)	Do.
Penicillium sp.	Iris sp	District of Columbia.
Vermicularia dematium	Dianthus allwoodii	Do.
Verticillium sp	Iris sp	Do.
EUROPE.		
Disease:	P	NT 37-1-4
Coniosporium sp	Pyrus sp	New York.*

Country of origin and name of pest.	Host.	Collected in—
FINLAND.		
isease:		
Puccinia phragmites	Phragmites communis	New York.*
FRANCE.		
nsects:	Mahalah	T
Acronycta rumicis (Sorrel cutworm)		Iowa.
Acronycta sp. (Noctuidae)	Spiraea vanhouttei	Massachusetts.
Agromyzid	Narcissus jonquilla (jonquils)	Virginia.
DoAnuraphis tulipae (Aphididae)	Syringa sp. (roots)	District of Columbia.
Do	Iris susiana (1000s)	Do.
Do		
Aporia crataegi (white tree pierid)	Malus sylvestris (apple stock)	Pennsylvania.
Aspidiotus hederae (ivy scale)	Phyllostachys mitis.	District of Columbia
Attagenus sp. (Dermestidae)	Gladiolus sp. (bulb)	
Aulacaspis rosae (rose scale)	Manetti rose stocks	Ohio.
Do		District of Columbia
Calophasia lunula (Noctuidae)	Cvdonia oblonga (quince)	
Cathartus advena (foreign grain beetle)		District of Columbia
Do	Stachys tuberifera	Do.
Cecidomyid		Do.
Do	Lilium sp. (lily) (bulbs)	New York City.*
Do	Narcissus jonquilla (jonquils)	Virginia.
Do	Narcissus sp. (bulbs) (2)	Do.
Chionaspis howardi (scale insect)	Phyllostachys mitis	District of Columbia
Chironomid	Narcissus jonquilla (jonquils)	Virginia.
Chrysomphalus dictyospermi (scale insect)	Jasminum grandiflora	District of Columbia
Do		Do.
Cucujid		Do.
Curculionid	Iris tingitana	
Drosophila sp. (Drosophilidae)	Iris sp. (roots)	Do.
Emphytus cinctus (sawfly)	Manetti rose stock (2)	Connecticut.
Do	Rosa sp. (rose)	Do.
Epidiaspis piricola (European pear scale)	Pyrus communis (pear)	Missouri.
Eriosoma lanigera (woolly aphis)	Malus sylvestris (apple)	Connecticut.
Eumerus strigatus (lesser bulb fly)	Iris sp. (roots)	District of Columbia
Do		Virginia.
Euproctis chrysorrhoea (brown-tail moth)	Cydonia oblonga (quince)	
Do		Iowa.
Do	Fruit stocks.	Pennsylvania. Missouri.
Do		
Do	Malus sylvestris (apple) (2)	Pennsylvania.
Do	Pyrus communis (pear)	
Do		New York City.*
Hippelates flavipes (Oscinidae)	Molinia caerulea	District of Columbia
Hoploderma sp. (mite)	Narcissus sp. (bulbs)	Kentucky.
Do	. Paeonia sp. (peony)	District of Columbia
Laemophloeus minutus (Cucujidae)	Narcissus sp. (bulb)	
Lecanium persicae (peach scale)	Berberis verruculosa	District of Columbia
	do	Pennsylvania.
Do Lecanium sp. (scale insect)	Raphitamnus cyanocarpus Itea ilicifolia	District of Columbia
Legidosaphes ulmi (oyster-shell scale)	Cornus brachypoda variegata	Do. Do.
Do	Cotoneaster acutifolia	Pennsylvania.
Do		District of Columbia
Do		Do.
Leucaspis bambusae (scale insect)	Bambusa sp. (bamboo supports for	Do.
• • • • • • • • • • • • • • • • • • • •	plant)	
Liothrips (thrips)	Lilium sp. (bulbs)	New York City.*
Merodon equestris (Narcissus fly)	Narcissus jonquilla (jonquils)	Virginia.
Do	Narcissus sp	Do.
Mylabris cisti (Mylabridae)	Cvtisus laburnum	New York City *
Noctuid	Hordeum nudum (seed)	District of Columbia
Notelenhus concettana (Limanianu)	Fruit tree stocks, ,	Indiana

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
FRANCE—continued.		
Insects—Continued.		
Orthocladius sp. (Chironomidae)	Triticum aestivum (wheat)	District of Columbia.
Palorus depressus (Tenebrionidae)	Narcissus sp. (bulbs)	Virginia. Iowa.
Papilio podalirius (Papilionidae)	Malus sylvestris (apple)	New York City.*
Pseudococcus sp. (scale insect)	Jasminum grandiflora	District of Columbia.
Pyralid	Mazzard stock	Pennsylvania.
Pyralid Pyralis farinalis (Pyralidae)	Hyacinthus sp	District of Columbia.
Do	Narcissus sp. (bulbs) (2)	Virginia.
DoRhizoglyphus hyacinthi (bulb mite)	Paeonia sp. (peony) (roots)	District of Columbia. Do.
Do		Do. Do.
Do		New York City.*
Do		District of Columbia.
<u>D</u> o	do	Kentucky.
Do	do	Mississippi.
Do Do		Virginia. District of Columbia.
Rhizoglyphus rhizophagus (mite)		Do.
Do	Hyacinthus sp	Do.
<u>D</u> o	Narcissus sp. (bulbs)	Do.
Do		Virginia.
Do		District of Columbia. Michigan.
Do Rhizoglyphus sp. (mite)		District of Columbia.
Do.		Florida.
Do	Rosa sp. (rose)	District of Columbia.
Scatopse sp. (Bibionidae)	Hyacinthus sp	Do.
Sciara sp. (Mycetophilidae)	Iris tingitana (2)	Do.
Do	Narcissus jonquilla (jonquil) e) Narcissus sp. (bulbs)	Virginia. Do.
Sitodrepa panicea (Anobiidae)	Lonicera sp. (seed)	New York City.*
Tapinoma erraticum (ant)	Iris tingitana	District of Columbia.
Tenebrio molitor (Tenebrionidae)	Narcissus sp. (bulbs	Virginia.
Do		District of Columbia.
TenebrionidTipulid		
Tribolium sp. (Tenebrionidae)	Paeonia sp. (peony) (roots)	Do.
Tydeus sp. (mite)	do	Do.
Diseases:		
Acrostalagmus cinnabarinus	Pyrus malus	New York.*
Alternaria sp	Avena sativa	District of Columbia.
DoAspergillus niger		
Bacterium tumefaciens	Malus sp.	Indiana.
Do		Pennsylvania.
<u>D</u> o		District of Columbia.
Do	Prunus cerasus	Pennsylvania. Do.
Do Do		New York.*
Do	Pyrus sp.	Indiana.
Do	do	
<u>D</u> o		1
Do	Rosa sp. Viburnum carlesi.	. Connecticut. District of Columbia.
Do	TTT - 11 + 111	Do.
Botrytis cinerea		Do.
Do	Euonymus radicans	. <u>D</u> o.
<u>D</u> o	Leycesteria formosa	Do.
Do		
Cladosporium herbarum		
Do	Triticum sp.	· ·

Country of origin and name of pest.	Host.	Collected in—
FRANCE—continued.		
Diseases—Continued.		
Colletotrichum sp	Bromelia sp	District of Columbia.
Coniosporium sp	Nidularium sp	Do.
Fusarium sp	Triticum sp	Do.
Heterodera radicicola	. Malus sp	Indiana.
Penicillium sp	. Hyacinthus sp	District of Columbia.
Phomopsis coluteae		Do.
Puccinia graminis	. Avena sativa	Do.
Do		Do.
Do		Do.
Do	. Triticum sp. (5)	Do.
Tylenchus devastatrix	Hyacinthus sp	Do.
GERMAN EAST AFRICA.		
Insects:	Vigna sinensis (cowpeas)	District of Columbia.
Apion sp. (Apionidae)	Arachis hypogaea (peanut) (seed)	District of Columbia.
Do	Bean (seed)	Do. Do.
Do		Do. Do.
Ischnaspis longirostris (scale insect)		
Laemophloeus pusillus (Cucujidae)	Annona sp.	Do. Do.
Mylabris chinensis (Mylabridae)	Vigna sinensis (cowpeas)	Do.
Mylabris sp. (Mylabridae)	Legume	Do.
my morns sp. (my mornauc)	Logumo	ъ.
GERMANY. Insects:		
Carpophilus dimidiatus (Nitidulidae)	Paeonia sp. (peony) (roots)	Pennsylvania.*
Eriococcus coccineus (scale insect)	Mamillaria krauseana	District of Columbia
Laemophloeus pusillus (Cucujidae)	Paeonia sp. (peony) (roots)	Pennsylvania.*
Mylabris atomaria (Mylabridae)	Vicia sepium	District of Columbia
Syntomaspis druparum (apple-seed chalcid)	Malus sylvestris (apple) (seed) (2)	New York City. *
Tribolium confusum (confused flour beetle)	. Larix sp.	Georgia.
Do	Paeonia sp. (peony) (roots)	Pennsylvania.*
Do	Picea sp. (spruce)	Georgia.
GIBRALTAR.		
Insects:		A STATE OF THE STA
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Louisiana. *
Lepidosaphes beckii (purple scale)	do	Do.
GOLD COAST.		
Insect: Cathartus gemellatus (Cucujidae)	Zea mays (corn)	Florida.
Camarus gemenatus (Cucujiuse)	Zea mays (com)	riorida.
GRAND CAYMAN ISLAND. Insects:		
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Florida.
Targionia sacchari (scale insect)	Saccharum officinarum (sugar cane)	Do.
GREECE.		
Insect:		
Targionia sp. (scale insect)	Pistacia sp. (cuttings)	District of Columbia
GUAM.		
Insect: Setomorpha sp. (Tineidae)	Pandanus fragrans	. District of Columbia
GUATEMALA.		
Insects:		
Agromyzid	"Bejuco blanco"	. District of Columbia
Aleurotrachelus trachoides (Aleyrodidae)	Chamaedorea sp.	
Anisolabis annulipes (earwig)	Musa sp. (banana)	
Do	Persea gratissima (avocado)	District of Columbia
DoAraecerus fasciculatus (coffee-bean weevil)	"Flor de Mico Flor" roia seeds	Do.

Country of origin and name of pest.	Host.	Collected in—
GUATEMALA—continued.		
Insects—Continued.		
Aspidiotus lataniae (scale insect)	Dahlia maxoni	District of Columbia.
<u>D</u> o	Persea gratissima (avocado)	Do.
Do	Persea schiedeana (3)	Do.
Aspidiotus sp. (scale insect)	Persea gratissima (avocado)	Do.
Do	(?) Persea gratissima (avocado)	Do.
Aulacaspis sp. (scale insect)	Persea gratissima (avocado)	Do. Do.
Brachytarsus sp. (Platystomidae)	(?) Persea gratissima (avocado) (seeds)	Do. Do.
Do	Zea mays (corn)	
Camponotus abdominalis (ant)	Musa sp. (banana)	Louisiana. *
Camponotus sp. (ant)	Pacayite	District of Columbia.
Carpophilus dimidiatus (Nitidulidae)	Duruche	Do.
$\mathrm{D}_{\mathrm{0}}^{\mathrm{r}}$	Persea gratissima (avocado) (seeds)	Do.
Cathartus advena (foreign grain beetle)	Zea mays (corn)	Do.
Cathartus cassiae (Cucujidae)	do	
Catorama sp. (Anobiidae)	Duruche	Do.
Cecidomyid	Chamaedorea sp.	
Chionaspis pinifoliae (scale insect)	Pinus sp. (pine)	Do. Louisiana. *
Chrysomphalus dictyospermi (scale insect)	Cocos nucifera (coconut palm) Duruche	District of Columbia.
Chrysomphalus sp. (scale insect)	Chamaedorea sp.	
Coccotrypes sp. (Scolytidae)	Persea gratissima (avocado) (seed)	Do.
Cryptorhynchid	(?)	Do.
Cryptorhynchus sp. (Curculionidae)	Duruche	
Curculionid	Zea mays (corn)	Do.
Do	(?) (Seed)	Do.
Diaspis bromeliae (scale insect)	Persea gratissima (avocado)	Do.
Diaspis sp. (scale insect)	Chamaedorea sp	Do.
Drosophila melanogaster (Drosophilidae)	Musa sp. (banana)	Louisiana. *
Elaterid	. Chamaedorea sp	District of Columbia.
Do Eleodes sp. (Tenebrionidae)	Pacayite	Do.
Eulophid	"Chaparron Flor Amarilla" (seeds) "Cola de pato"	Do.
Eurytoma sp. (Eurytomidae)	Ceanothus sp	Do.
Holcoponera sp. (ant)	dodo	Do.
Howardia biclavis (mining scale)	. Persea gratissima (avocado)	Do.
Hypothenemus sp. (Scolytidae)	. (?)	Do.
Lepidosaphes beckii (purple scale)	. Citrus sinensis (orange)	Do.
Lonchaea sp. (Sapromyzidae)	. Chamaedorea sp	Do. Louisiana. *
Macropygium reticulare (Pentatomidae) Metamasius sericeus (Calendrinae)	Musa sp. (banana)dodo	
Metamasius sericeus (Calendrinae). Metamasius sericeus carbonarius (Calendrinae).	do	Do.
Mylabris alticola (Mylabridae)	"Cola de pato"	District of Columbia.
Mylabris leucosomus (Mylabridae)	. "Bejuco blanco"	Do.
Mylabris sp. (Mylabridae)	.\ "Aripin"	Do.
Do	Dahlia maxoni	.l Do.
Do		. Do.
Neuroctenus litigiosus (Aradidae)	. Chamaedorea sp.	. Do.
Nitidulid	Chamaedorea sp. (seed)	
DoOscinidae)	Graminese	D_0 .
Othnius sp. (Othniidae)	Gramineae	\mathbf{D}_{0}
Photuris sp. (Lampyridae)	Chamaedorea sp.	.l Do.
Phycitid	"Plumaiillo"	. Do.
Prenolepis longicornis (ant)	. Ananas sativus (pineapple)	. <u>D</u> o.
Do	. In packing	. Do.
	. Rubus sp	. Do.
Prenolepis sp. (ant)	Musa sp. (banana)	. Louisiana.*
Pseudaonidia articulatus (scale insect)	Cocos nucifera (cóconut palm)	Do. District of Columbia.
Pseudococcus bromeliae (pineapple mealy bug Pseudoparlatoria ostreata (scale insect)	Pacavite	
Psychoda sp. (Psychodidae)	Pacayite	$\mathbf{D}_{\mathbf{o}}$
z by circum bp. (z by circuitano)	· · · · · · · · · · · · · · · · · · ·	

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
GUATEMALA—continued.		
Insects—Continued. Pyralid Do	"Cola de pato" Erythrina sp.	District of Columbia.
Do Do	Gramineae	Do. Do.
Rhizoglyphus hyacinthi (bulb mite)	Chamaedorea sp	Do. Do. Do.
Rhizoglyphus sp. (mite)	Persea gratissima (avocado) (seeds)	Do. Do.
Saissetia hemisphaerica (hemispherical scale) Silvanus sp. (Cucujidae) Spermophagus obscurus (Mylabridae)	Chayota edulis (chayotes)	Do. Do. Do.
Spermophagus sp. (Mylabridae) Stelidota sp. (Nitidulidae) Tenebrio sp. (Tenebrionidae)	(?)	Do. Do. Do.
Tetrapriocera tridens (Bostrichidae) Tipulid	In packing Swietenia mahogoni (mahogany) Chamaedorea sp.	California. District of Columbia.
Trombidium sp. (mite)	Swietenia mahogoni (mahogany)	Do. California.
Tubercularia sp	Persea gratissima	District of Columbia.
Insect: Rhizoglyphus rhizophagus (mite)	(?) (Bulbs)	New York City.*
HAITI.		
Dactylopius confusus (scale insect) Diaspis echinocacti cacti (scale insect) Diaspis echinocacti opuntiae (scale insect) Do Lyctus parallelopipedus (powder post beetle) Monomorium pharaonis (ant) Sinoxylon conigerum (Bostrychidae)	Cactus (cuttings). Cactus Nopulea cocchinellifera. In wooden chair	District of Columbia. Do. Do. Do. Do. Do. Do.
Sinoxylon conigerum (Bostrychidae)	do	Do.
Carpophilus hemipterus (Nitidulidae) Carpophilus humeralis (Nitidulidae) Coccid Monomorium floricola (ant). Mylabris chinensis (Mylabridae) Mylabris limbatus (Mylabridae) Mylabris obtectus (Mylabridae) Do Mylabris prosopis (Mylabridae) Do Mylabris sp. (Mylabridae) Omphisa anastomosalis (Pyralidae) Pheidole megacephala (ant) Pheidole sp. (ant) Prenolepis sp. (ant) Psammoecus insularis (Cucujidae) Psammoecus insularis (Cucujidae) Pseudococcus bromeliae (pineapple mealy bug) Rhizoglyphus hyacinthi (bulb mite) Saissetia nigra (scale insect)	Wild tomato. Manihot utilissima (cassava). Cocos nucifera (coconut palm). Cajanus indicus (pigeon pea). Acacia sp. (seed). Ceratonia siliqua (algaroba beans). Jack beans. Ceratonia siliqua (algaroba). Prosopis chilensis. Ceratonia siliqua (algaroba). Ipomoea batatas (sweet potato). Musa sp. (banana)do. Cocos nucifera (coconut palm). Musa sp. (banana)do. Ananas sativus (pineapple). Colocasia esculenta. Manihot utilissima (cassava).	Do. Do. Do. California. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do
Sciara sp. (Mycetophilidae) Tetramorium caespitum (ant) Tetranychid Disease: Aspergillus flavus	Musa sp. (banana)	California. Do.
emberginen na am	· Nandolloum marcum	. Promice of Columbia.

Country of origin and name of pest.	Host.	Collected in—
HOLLAND.		
Insects:		
Agriotes sp. (Elateridae)		District of Columbia
Aleyrodes sp. (white fly)	Azalea ledifolia	Do.
Amphorophora sp. (Aphididae)	Trollius sp	Do.
Aphid	Acer palmatum (Japan maple)	Massachusetts.
Apiochaeta sp. (Phoridae)	Hyacinthus sp. (bulbs)	New York City.*
Do	Iris sp. (roots)	District of Columbia
Athous sp. (Elateridae)	Buxus sp. (boxwood)	Do. Do.
Bibio sp. (Bibionidae)	Paeonia sp. (peony) (roots)	Massachusetts.
Bombus sp. (Apiadae)	Rosa rugosa.	New York City.*
Cathartus advena (foreign grain beetle)	Bulbs	Connecticut.
Do		District of Columbia
Do	Narcissus sp. (bulbs)	Mississippi.
Cecidomyia sp. (Cecidomyidae)	Aristolochia sipho	District of Columbia.
Cecidomyid	do	Do.
Do	Bulbs (2)	Do.
Do		Michigan.
Do		Rhode Island.
Do	Tritoma rupa (roots)	District of Columbia.
Curculionid	Herbaceous plants	Do.
Do	In soil (2)	New York.*
Elaterid	Paeonia sp. (roots)	District of Columbia.
Do		Massachusetts.
Do	Soil	Do.
Emphytus cinctus (sawfly)		Connecticut.
Empoasca sp. (Jassidae)	Picea excelsa nidiformis	District of Columbia
Eumerus strigatus (lesser bulb fly)	Bulb	New York City.*
Do	Narcissus sp. (bulb) (2)	Do.
Forficula auricularia (earwig)	Evergreen shrubs	District of Columbia. Massachusetts. *
Gelechiid	Buckwheat chaff used as packing	massachusetts. "
T	around tulip bulbs Iris sp. (bulbs)	New York City.*
DoGracilaria azaleella (Tineidae)		District of Columbia
Homoglaea hircina (Noctuidae)	Convallaria sp.	New York City.*
Lampyrid	In soil	Massachusetts.
Lasius flavus (ant)	Rhododendron (roots)	Do.
Lecanium coryli (scale insect)	Rosa sp. (rose)	District of Columbia
Lepidosaphes ulmi (oyster-shell scale)	Buxus sp. (boxwood)	Massachusetts.
Lygus pabulinus (Miridae)	Rosa rugosa	New York City.*
Lygus pabulinus (Miridae)	Bulb	Colorado.
Do	Bulb (3)	District of Columbia
Do	Bulb	Nebraska.
Do	Narcissus sp. (bulb) (2)	District of Columbia
Do		Michigan.
Do		Rhode Island.
Do	. <u></u> do	Washington.
Mylabris quadrimaculatus (four-spotted bear	n Hyacinthus sp. (bulbs)	District of Columbia
weevil).	1	D-
Myrmica brevinodis (ant)	In soil	Do.
Noctuid	Retinispora sp	Massachusetts.
Do	Soil	New York.* New York City.*
Oecophorid		District of Columbia
Ďo		District of Columbia
01.41	cup). Lupinus sp	Do.
OlethreutidOtiorhynchus sulcatus (Otiorhynchidae)	Buxus sp. (boxwood)	Massachusetts.
Do	1 ~	District of Columbia
Do		
Do		Massachusetts.
Palorus ratzeburgi (Tenebrionidae)	Narcissus sp. (bulbs)	Mississippi.
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton)	Pennsylvania.*
Pentatomid		Massachusetts.
Pyralid		Pennsylvania.*

Country of origin and name of pest.	Host.	Collected in—
HOLLAND—continued.		
nsects—Continued.		
Rhizoglyphus hyacinthi (bulb mite)		Colorado.
Do		District of Columbia
Do		New York City.*
Do		District of Columbia Do.
Do		Do.
Do		Do.
Do		Do.
Do		New York City.*
Do		District of Columbia
Do		Do.
Do		Do.
Do		Do.
Do	Muscaria botryoides album	Do.
Do		New York City.*
Do		Rhode Island.
Do		District of Columbia
Do		Do.
Do		Do. Do.
Do		Do.
D ₀		
Rhizoglyphus longitarsis (mite)	Rhododendron	Do.
Rhizoglyphus rhizophagus (mite)	Bulbs.	Do.
Do	Bulbs (2).	Texas.
$\overline{\mathrm{D}}_{\mathrm{0}}$	Iris sp.	District of Columbia
$\overline{\mathrm{D}}_{\mathrm{0}}$		Michigan.
D ₀		New York City.*
D_0	Narcissus sp. (bulbs)	Washington.
D_0	Scilla sibirica	District of Columbia
<u>D</u> o		Kentucky.
Do		Pennsylvania.*
Rhizoglyphus sp. (mite)		District of Columbia
$\mathbf{p}_{\mathbf{o}}$		Do.
D ₀		Do.
D ₀		New York.* Do.
D_0		District of Columbia
Sciara sp. (Mycetophilidae)	Bulbs	Texas.
Do.	Paeonia sp. (2)	District of Columbia
$\widetilde{\mathrm{D}}_{\mathrm{0}}$	Soil	New York.*
Tarso nemus sp. (mite)		Michigan.
Tenebrio molitor (meal worm)		District of Columbia
Do	Hyacinthus sp. (bulb)	Do.
<u>D</u> o	Iris filifolia	Do.
<u>D</u> o		Do.
<u>D</u> o	Packing	
Do		Do
Tenebrio sp. (Tenebrionidae)	Buckwheat chaff	Connecticut.
Tetranychus telarius (red spider)	Aristolochia sipho	District of Columbia
Thrips sp Tipulid		Illinois. New York.*
Tortricid	Rosa rugosa.	New York City.*
Diseases:		110W LOIR CITY.
Bacterium tumefaciens	Malus sylvestris	Missouri.
Do	Paeonia officinalis.	California.
Do		Do.
Do	do	Connecticut.
Do	Rosa sp. (2)	District of Columbia
Botrytis cinerea	Aristolochia sipho	Do.
Botrytis parasitica	Muscari sp	Do.
Do	Narcissus sp. (5)	Do.
DoFusarium sp	Tulipa sp	Do.
Kinggrinm en	Solanim tuberosum	Louisiana.*

Country of origin and name of pest.	Host.	Collected in—
HOLLAND—continued.		
Diseases—Continued.		
Penicillium sp	Camassia leichtlinii	District of Columbia.
Do Do	Muscari sp Narcissus sp. (5)	Do. Do.
Pestalozzia guepini	Rhododendron sp.	Do.
Sclerotium sp.	Iris tingitana	Do.
INDIA.		
Insects:		
Araecerus fasciculatus (coffee-bean weevil)	Zea mays (corn) (2)	District of Columbia.
Aspidiotus sp. (scale insect)	Citrus sp.	Do.
Calendra oryzae (rice weevil)	Arzadirachta indica	Do.
Do Do	Holcus sorghum (seed) (5) Saraca indica (seed)	Do. Do.
Do	Zea mays (corn) (5)	Do.
Chrysomphalus aurantii (California red scale)	Citrus grandis (pomelo)	Do.
Do.	Undetermined plant	Do.
Curculionid	Quercus griffithii	Do.
Eurytoma sp. (Chalcididae)	Sesbania aculiata	Do.
Laemophloeus pusillus (Cucujidae)	Zea mays $(corn)$ (3)	Do.
Lecanium sp. (scale insect).	Malus sylvestris (apple)	Do.
Lophocateres pusillus (Siamese grain beetle)	Zea mays (corn) (2)	Do.
Mylabrid	Albizzia lebbek	Do. Do.
weevil).	Glycine soja (soy bean)	. До.
Mylabris sp. (Mylabridae)	Cyamopsis seed.	Do.
Do	Cyamopsis-Gowar Makhnisa seed	Do.
Do	Cyamopsis-Gowar Satia	Do.
Do	Guwar Makhaniya seed	Do.
<u>D</u> o	Guwar Sotiya seed	Do.
Do	Tephrosia candida (seed)	Do.
Parlatoria brasiliensis (scale insect)	Undetermined plant	Do.
Pseudococcus virgatus (mealy bug)	Mangifera indica (mango)	Do. Do.
Do Rhizoglyphus sp. (mite)	Undetermined plantAmorphophallus campanulatus	Do. Do.
Rhizopertha dominica (lesser grain borer)	Coix sp.	Do.
Do	Zea mays (corn) (2)	Do.
Sciara sp. (Mycetophilidae)	Zea mays (corn)	Do.
Silvanus pusillus (Cucujidae)	do	Do.
Silvanus surinamensis (saw-toothed grain beetle).	Gossypium sp. (cotton)	New York City.*
Do	Zea mays (corn) (2)	District of Columbia.
Tribolium confusum (confused flour beetle)	Gossypium sp. (seed)	New York City.* District of Columbia.
Tribolium ferrugineum (rust-red flour beetle) Diseases:	Zea mays (com) (4)	District of Columbia.
Pseudomonas citri	Citrus sp	Do.
Ustilago iseilematis	Iseilema anthophoroides	Do.
Insects:		,
Agriotes sp. (Elateridae)	Soil	District of Columbia.
Emphytus cinctus (sawfly)	Manetti rose stock	Do.
Do	Manetti rose stock (2)	Pennsylvania
Macrosiphum rosae (Aphid)	Rosa sp	District of Columbia.
_ ISLE OF PINES.		
Insects:	011	731 .1
Aleurothrixus howardi (woolly white fly)	Citrus grandis (grapefruit)	Florida.
Aleyrodid	Citrus sp Psidium guajava (guava)	Do.
Anastrepna traterculus (fruit fly)	Amygdalus communis (almond)	Do. Do.
Aspidiotus destructor (scale insect)		Do. Do.
DoAspidiotus orientalis (scale insect)	Cocos nucifera (coconut palm) (2)	Do.
	, ((param)	1 =
	Bobug tree	Do.
Aspidiotus subsimilis anonae (scale insect)	Citrus grandis (grapefruit) (2)	Do. Do. Do.

Country of origin and name of pest.	Host.	Collected in—
isle of pines—continued.		
Insects—Continued. Hemichionaspis minor (scale insect). Hemichionaspis sp. (scale insect). Lepidosaphes beckii (purple scale). Do	Bobug tree Citrus aurantifolia (lime) Citrus grandis (grapefruit) (6)	Do. Do. Do.
Do Do Parlatoria pergandei (chaff scale) Parlatoria sp. (scale insect) Pseudaonidia articulatus (rufous scale) Pseudaonidia tesserata (scale insect)	Citrus sp. (4) Citrus grandis (grapefruit) Citrus sp do Unknown tree.	Do. Do. Do. Do. Do. Do.
Targionia sacchari (scale insect)	Saccharum officinarum (sugar cane)	Do.
Insects:		
Aspidiotus hederae (ivy scale)	Pyrus sorbus. Camellia sp. Palm	New York City.* Massachusetts.* District of Columbia. Massachusetts.* Do. Louisiana.*
Parlatoria pergandei (chaff scale)	dodoPanicum miliaceum (broom corn)FernTriticum aestivum (wheat)	Do. Do. New York City.* Pennsylvania.* New York City.*
Tribolium ferrugineum (rust-red flour beetle)	do	Do.
Insect: Pyralid	Cordeuxia edulis	District of Columbia.
JAMAICA.		
Insects: Aspidiotus lataniae (scale insect) Chrysomphalus aonidum (Florida red scale) Chrysomphalus dictyospermi (scale insect) Cylas formicarius (sweet-potato weevil) Drosophila ampelophila (Drosophilidae) Hemipteron Do Lepidosaphes beckii (purple scale) Mylabris sp. (Mylabridae) Olethreutid Palaeopus costicollis (Curculionidae) Palaeopus dioscoreae (Curculionidae) Parallelodiplosis cattleyae (Cattleya midge) Saissetia oleae (black scale) Sitotroga cerealella (Angoumois grain moth) Solenopsis geminata (ant) Do Solenopsis sp. (ant)	Musa sp. (banana). Seed pods. Ipomoea batatas (sweet potato). Mangifera indica (mango). Dioscorea sp. (yam). Ipomoea batatas (sweet potato). Citrus sinensis (orange). Caesalpina coriaria (beans). Persea gratissima (avocado). Dioscorea sp. (yam). Dioscorea sp. (yam) (2). Orchid. (roots). Seed pods. Holeus sorghum	Louisiana.* Florida. New York City.* Louisiana.* New York City.* Do. Louisiana.* Do. Do. Florida. Do. Louisiana.* Florida. Florida. Florida. Florida. Florida. Florida. Florida.
JAPAN. Insects:		
Anisolabis annulipes (earwig). Aristotelia sp. (Gelechiidae). Aspidiotus perniciosus (San Jose scale). Aspidiotus sp. (scale insect). Aulacaspis pentagona (West Indian peach scale).	(?) (Cuttings). Citrus sinensis (orange). Pyrus sp. (pears).	District of Columbia. California. District of Columbia. Washington.* Do.
Carpophilus hemipterus (Nitidulidae)	Amorphophallus spdo	District of Columbia. Do. Do.
Cecidomyid Ceroplastes ceriferus (wax scale)	Acer sp. (maple)	Do. Washington.*

Country of origin and name of pest.	Host.	Collected in—
JAPAN—continued.		
ects—Continued.		
Chionaspis sp. (scale insect)	"Celtis-like tree"	District of Columbia
Chrysomphalus aonidum (Florida red scale)	Aspidistra sp	California.
Chrysomphalus aurantii (California red scale).	Citrus nobilis (mandarin orange)	Oregon.*
Diaspis pentagona (West Indian peach scale).	Salix sp	District of Columbia
Elaterid		Massachusetts.
Glyphodes perspicalis (Pyralidae)	Buxus sp. (box)	Do.
Hemichionaspis aspidistrae (Aspidistra scale).	Aspidistra sp	California.
Do		Oregon.*
Do		Washington.*
Do		Maryland.* District of Columbia
Histiostoma rostro-serratum (mite)		District of Columbia
Lachnus sp. (aphid)	Cryptomeria japonica (cedar)	Florida.
Laemophloeus pusillus (Cucujidae)	Amorphophallus sp.	District of Columbia
Lasioderma serricorne (cigarette beetle)	Nicotiana tabacum (tobacco)	Louisiana.*
Lasius niger (ant)	Viburnum sp.	Massachusetts.
Lepidosaphes conchiformis (scale insect)	Pyrus communis (pear)	Washington.*
Lepidosaphes gloverii (Glover's scale)	Citrus nobilis (mandarin orange)	Oregon.*
Do	do	Washington.*
Do		Florida.
Do		Maryland.*
Lepidosaphes sp. (scale insect)	do	Washington.*
Do		District of Columbia
Do	Salix sp	Do.
Monomorium pharaonis (ant)	Castanea sp. (chestnut)	Washington.*
Mycetaea hirta (Mycetaeidae)	Amorphophallus sp	District of Columbia
Mylabris chinensis (Mylabridae) Do		Do.
Olethreutid		Do. Do.
Parlatoria pergandei (chaff scale)	Citrus nobilis (satsuma orange)	Do.
Do	Citrus sinensis (orange)	Florida.
Do		Washington.*
Phenacoccus sp. (scale insect)		District of Columbia
Phylloxera sp. (Aphididae)		Do.
Plodia interpunctella (Indian meal moth)	Juglans sp. (walnut sacks)	California.
Pristomyrmex japonicus (ant)	Azalea indica ledifolium leucanthum	District of Columbia
Pseudaonidia duplex (scale insect)	Citrus nobilis (satsuma orange)	Do.
Do	Citrus sp	Maryland.*
Pseudaonidia paeoniae (scale insect)	Azalea amoena kirishima	District of Columbia
<u>D</u> o		Do.
Do		Do.
Pseudaonidia trilobitiformis (scale insect)	Azalea yayegiri	Do.
Do	Citrus nobilis (mandarin orange)	Washington.*
$\mathbf{D_0}$		Do.
Pseudococcus sp. (mealy bug)		California.
Pseudoponera sauteri (ant)	Amorphophallus sp.	District of Columbia
Pyralid	do	Do.
Pyralis farinalis (Pyralidae)	do	Do.
Rhizoglyphus hyacinthi (bulb mite)	Lilium formosum	Minnesota.
D_0		Utah.
<u>D</u> o		
Do	Lycoris squamigera	District of Columbia
Rhizoglyphus sp. (mite)		
Do		
Scepticus insularis (Otiorhynchidae)	Azalea leucanthum	
Spermophagus sp. (Mylabridae)		
Tortricid		Do.
Do	Smilax sp. (leaves).	Do. Do.
Tribolium ferrugineum (rust-red flour beetle)	Beans.	
Tribolium sp. (Tenebrionidae)		District of Columbia

Country of origin and name of pest.	Host.	Collected in—
JAPAN—continued.		
Diseases:	A amidiatus am	California.
Colletotrichum omnivorum	Aspidistra sp Citrus nobilis	
Penicillium digitatum		Washington.*
Rhizoctonia sp.	Pyrus sp	Do. Do.
rmizocioma sp.	Castanea sp.	D0.
JAVA.		
Anthribid	Ptychantra glauca (seed)	District of Columbia
Araecerus fasciculatus (coffee-bean weevil)	Colocasia sp	Do.
Do	Oncosperena filamentosa (seed)	Do.
Do	Phoenix reclinata (2)	Do.
Do	Rhapalabla lexandrae (seed)	Do.
Do	Tephrosia candida (seed)	Do.
Coccotrypes sp. (Scolytidae)	Licuala rumphii (seed)	Do.
<u>D</u> o	Neuga schefferiana (seed)	Do.
	Phoenix reclinata (seed)	Do.
Halimococcus sp. (scale insect)	Pandanus tectorius.	Do.
Haptoncus luteolus (Nitidulidae)	Canarium indicum	Do.
Plodia interpunctella (Indian meal moth)	do	Do.
Rhizoglyphus longitarsis (mite)	Colocasia sp.	Do.
Rhizoglyphus sp. (mite)	Doerian seed	Do. Do.
Do	Caryota rumphiana (seed)	Do. Do.
Do.	Mangifera indica var	Do. Do.
D ₀ .	Mangifera indica golek.	Do.
KOREA.		
nsect:		
Rhizoglyphus sp. (mite)	Allium sativum (garlic)	District of Columbia
MALTA.		
nsect: Mylabris sp. (Mylabridae)	Hedysarum cononarium (sulla) (2)	District of Columbia
MEXICO.		•
nsects:	Commisso adulia (samata)	// *
Anastrepha sp. (Trypetidae)	Casimiroa edulis (zapote) Cocos nucifera (coconut palm)	Texas.*
Baridiid	Amaryllis sp.	Florida. District of Columbia
Blapstinus sp. (Tenebrionidae)	Gossypium sp. (cotton)	Do.
Calendra linearis (Calendrinae)	Tamarindus indica (tamarind)	Texas.*
Calendra oryzae (rice weevil)	Amaryllis sp.(bulbs)	District of Columbia
Cathartus advena (foreign grain beetle)		
	do	Do
Chionaspis citri (scale insect).	do	Do. Florida.
Chionaspis citri (scale insect)	do	Florida.
Chionaspis citri (scale insect)	do Citrus sp Citrus grandis (pomelo) Citrus limonia (lamon) (2)	
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do.	do Citrus sp Citrus grandis (pomelo) Citrus limonia (lamon) (2)	Florida. Arizona.*
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae)	do Citrus sp Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho"	Florida. Arizona.* Do.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do	do Citrus sp. Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho" Persea gratissima (avocado) (3) Persea gratissima (avocado)	Florida. Arizona.* Do. Do.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do	do Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Persea sp. (Mexican avocado).	Florida. Arizona.* Do. Do. Texas.* Do. Do.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do Cylas formicarius (sweet-potato weevil)	do Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Persea sp. (Mexican avocado). Ipomoea batatas (sweet potato).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect)	do Citrus sp. Citrus grandis (pomelo) Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Persea sp. (Mexican avocado). Ipomoea batatas (sweet potato). Cactus.	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diaspis echinocacti var. (scale insect)	do Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Persea sp. (Mexican avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp.	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbino.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diaspis echinocacti var. (scale insect) Diatraea sp. (Pyralidae)	do Citrus sp. Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho" Persea gratissima (avocado) (3) Persea gratissima (avocado) Persea sp. (Mexican avocado) Ipomoea batatas (sweet potato) Cactus Mammillaria sp. Saccharum officinarum (sugar cane)	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbino. Florida. Florida.
Chionaspis citri (scale insect) Chrysomphalus aurantii (California red scale) Do. Do. Conotrachelus perseae (Curculionidae) Do. Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect). Diaspis echinocacti var. (scale insect). Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae)	do Citrus sp. Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado) Ipomoea batatas (sweet potato) Cactus Mammillaria sp. Saccharum officinarum (sugar cane) Grass	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbino. Florida. District of Columbino. Florida. District of Columbino.
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale) Do Do Conotrachelus perseae (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect). Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae) Ephestia sp. (Pyralidae) Ephestia sp. (Pyralidae)	Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Ouercus sp. (acorn).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia California.
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale) Do. Do. Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do. Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae) Ephestia sp. (Pyralidae) Do.	citrus sp. Citrus grandis (pomelo). Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Quercus sp. (acorn). Zea mays (corn).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia Arizona.*
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale) Do. Do. Conotrachelus perseae (Curculionidae) Do. Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diaspis echinocacti var. (scale insect) Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae) Ephestia sp. (Pyralidae) Do. Gelechioid	citrus sp. Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Quercus sp. (acorn). Zea mays (corn). Citrus sinensis (orange).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbino. Florida. District of Columbino. Arizona.* Louisiana.*
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale). Do. Do. Conotrachelus perseae (Curculionidae). Conotrachelus sp. (Curculionidae). Do. Cylas formicarius (sweet-potato weevil). Diaspis echinocacti cacti (scale insect). Diaspis echinocacti var. (scale insect). Diatraea sp. (Pyralidae). Dysdercus suturellus (Pyrrhocoridae). Ephestia sp. (Pyralidae). Do. Gelechioid. Hemichionaspis minor (scale insect).	citrus sp. Citrus grandis (pomelo) Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado) Ipomoea batatas (sweet potato) Cactus Mammillaria sp. Saccharum officinarum (sugar cane) Grass Quercus sp. (acorn) Zea mays (corn) Citrus sinensis (orange) Cocos nucifera (coconut palm)	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia Arizona.* Louisiana.* Do.
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale). Do Do Conotrachelus perseae (Curculionidae). Conotrachelus sp. (Curculionidae). Do Cylas formicarius (sweet-potato weevil). Diaspis echinocacti cacti (scale insect). Diaspis echinocacti var. (scale insect). Diatraea sp. (Pyralidae). Dysdercus suturellus (Pyrrhocoridae). Ephestia sp. (Pyralidae). Do Gelechioid. Hemichionaspis minor (scale insect). Lepidosaphes beckii (purple scale).	citrus sp. Citrus grandis (pomelo). Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Quercus sp. (acorn). Zea mays (corn). Citrus sinensis (orange). Cocos nucifera (coconut palm). Citrus grandis (grapefruit).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia Arizona.* Louisiana.* Do. Florida.
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale) Do Do Do. Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae) Ephestia sp. (Pyralidae) Do Gelechioid Hemichionaspis minor (scale insect) Lepidosaphes beckii (purple scale) Lepidosaphes gloverii (Glover's scale)	Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Quercus sp. (acorn). Zea mays (corn). Citrus sinensis (orange). Citrus grandis (grapefruit). Citrus sinensis (orange).	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia California. Arizona.* Louisiana.* Do. Florida. Do. Florida. Do.
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale). Do Do Do Conotrachelus perseae (Curculionidae). Conotrachelus sp. (Curculionidae). Do Cylas formicarius (sweet-potato weevil). Diaspis echinocacti cacti (scale insect). Diatraea sp. (Pyralidae). Dysdercus suturellus (Pyrrhocoridae). Ephestia sp. (Pyralidae). Do Gelechioid. Hemichionaspis minor (scale insect). Lepidosaphes beckii (purple scale). Lepidosaphes gloverii (Glover's scale). Do	Citrus sp. Citrus grandis (pomelo). Citrus limonia (lemon) (2). "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado). Ipomoea batatas (sweet potato). Cactus. Mammillaria sp. Saccharum officinarum (sugar cane). Grass. Quercus sp. (acorn). Zea mays (corn). Citrus sinensis (orange). Cocos nucifera (coconut palm). Citrus grandis (grapefruit). Citrus sinensis (orange). do.	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia California. Arizona.* Louisiana.* Do. Florida. Do. Louisiana.*
Chionaspis citri (scale insect). Chrysomphalus aurantii (California red scale) Do Do Do. Conotrachelus perseae (Curculionidae) Conotrachelus sp. (Curculionidae) Do Cylas formicarius (sweet-potato weevil) Diaspis echinocacti cacti (scale insect) Diatraea sp. (Pyralidae) Dysdercus suturellus (Pyrrhocoridae) Ephestia sp. (Pyralidae) Do Gelechioid Hemichionaspis minor (scale insect) Lepidosaphes beckii (purple scale) Lepidosaphes gloverii (Glover's scale)	citrus sp. Citrus grandis (pomelo) Citrus grandis (pomelo) Citrus limonia (lemon) (2) "Toroncho" Persea gratissima (avocado) (3). Persea gratissima (avocado) Persea sp. (Mexican avocado) Ipomoea batatas (sweet potato) Cactus Mammillaria sp. Saccharum officinarum (sugar cane) Grass Quercus sp. (acorn) Zea mays (corn) Citrus sinensis (orange) Cocos nucifera (coconut palm) Citrus grandis (grapefruit) Citrus sinensis (orange) Dioscorea sp. (yam)	Florida. Arizona.* Do. Do. Texas.* Do. Do. Florida. District of Columbia Do. Florida. District of Columbia California. Arizona.* Louisiana.* Do. Florida. Do. Florida. Do.

List, by countries, of pests collected and reported from October 1, 1919, to December 31, 1920, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
MEXICO—continued.	<u>, </u>	
Insects—Continued. Pectinophora gossypiella (pink bollworm) Do Pseudaonidia articulatus (rufous scale) Do Pseudorhianus n. sp (Curculionidae) Pyralid Rhizoglyphus hyacinthi (bulb mite) Rhizoglyphus phylloxerae (mite) Silvanus vulgaris (Cucujidae) Silvanus sp. (Cucujidae) Sitotroga cerealella (Angoumois grain moth) Tenebrionid Tetraleurodes acaciae (white fly) Tetraleurodes sp. (white fly) Tetramorium guineense (ant) Tribolium confusum (confused flour beetle) Trogoderma sp. (Dermestidae) Trogositid Diseases:	Gossypium sp. (cotton) (2). In cotton pillow. Citrus aurantifolia (lime). Citrus sinensis (orange) (2). Amaryllis sp. (bulb). Hicoria pecan (pecan). Amaryllis sp. (bulbs). Zea mays (corn). Ananas sativus (pineapple). Amaryllis sp. (bulbs). Zea mays (corn). Gossypium sp. (cottonseed). "Chilicote". Unknown plant. Papania. Gossypium sp. (cottonseed). Gossypium sp. (cottonseed). Gossypium sp. (cotton) (2). Gossypium sp. (cotton).	Texas.* Do. Louisiana.* Florida. District of Columbia. Texas.* District of Columbia. Do. Do. Arizona.* Louisiana.* District of Columbia. Texas.* District of Columbia. Texas.* Louisiana.* Louisiana.* Louisiana.* Louisiana.*
Colletotrichum gloeosporioides. Diplodia sp. Macrosporium sp. Pestalozzia sp. Phyllosticta sp. Do. Puccinia hibisciata Rhizoctonia solani MOROCCO.	Citrus sp. Cactus spdodo Citrus aurantifolia Citrus sinensis Gossypium sp. Solanum tuberosum	Texas. Coahuila.
Insect: Spongovostox sp. (Forficulidae)	Statice brassicaefolia	District of Columbia.
NEW ZEALAND. Insects: Aspidiotus camelliae (greedy scale) Do Cerambycid	Gaultheria oppositifolia. Leptospermum nichollii. Alectryon excelsum.	District of Columbia. Do. Do.
Insects: Chrysomphalus dictyospermi (scale insect) Lepidosaphes beckii (purple scale) Mylabris obtectus (bean weevil). Pseudaonidia articulatus (rufous scale) Pseudococcus sp. (scale insect)	Cocos nucifera (coconut palm) Citrus grandis (grapefruit). Beans Citrus sinensis (orange) Musa sp. (banana).	Florida. Do. California. Florida. Louisiana.*
NIGERIA. Insects: Calendra oryzae (rice weevil) Oxycarenus hyalinipennis (Lygaeidae) Rhizopertha dominica (Lesser grain borer)	Holcus vulgare	District of Columbia. Do. Do.
NORTH AFRICA. Insects: Phoenicococcus marlatti (scale insect) Prenolepis longicornis (ant)	Phoenix dactylifera (date palm)do	New York City.* Do.
Insect: Rhagoletis sp. (Trypetidae)	Berberis chinensis	District of Columbia.
NOVA SCOTIA. Disease: Fusarium sp	Solanum tuberosum	Virginia.

Country of origin and name of pest.	Host.	Collected in—
ORIENTAL PORT (?). Disease: Botrytis parasitica	Narcissus sp.	California.
Insects: Anisolabis annulipes (earwig) Aspidiotus cocotiphagus (scale insect) Aspidiotus destructor (scale insect) Aspidiotus lataniae (scale insect) Calendra linearis (Calendrinae) Chloridea obsoleta (Noctuidae) Chrysomphalus sp. (scale insect) Conchaspis angraeci (scale insect) Conotelus rufipes (Nitidulidae) Diaspis boisduvalii (scale insect) Heilipus perseae (Curculionidae) Hemichionaspis minor (scale insect) Hemichionaspis sp. (scale insect) Lepidosaphes lasianthi (scale insect) Mylabris sp. (Mylabridae) Orthezia praelonga (scale insect) Orthoperus sp. (Corylophidae) Paratetranychus tumidus (mite) Phthorimaea operculella (potato tuber moth) Pseudococcus bromeliae (pineapple mealy bug) Pyralid Stigmaeus floridanus (mite) Targionia sacchari (scale insect) Tetramorium guineense (ant) Tetranychus sp. (mite) Xyleborus sacchari (Scolytidae)	do do do Tamarindus indica (tamarind) Gossypium sp. (cotton) Cocos nucifera (coconut palm) Croton Bean Cocos nucifera (coconut palm) Persea gratissima (avocado) Cocos nucifera (coconut palm) do Croton (2) Ceiba casearia (silk cotton) Croton Ochroma lagopus Croton Solanum tuberosum (potato) Ananas sativus (pineapple) Gossypium sp. (cotton) Ananas sativus (pineapple) Saccharum officinarum (sugar cane) Cocos nucifera (coconut palm)	Do. Florida. Louisiana.* Do. District of Columbia. Louisiana.* Do. District of Columbia. Louisiana.* Do. Florida. Louisiana.* Do. California. Louisiana.* Do. District of Columbia. Louisiana.* Louisiana.* Louisiana. Louisiana.* Louisiana. Louisiana.* Do. District of Columbia. Louisiana.* Louisiana.* Louisiana.* Louisiana.* Florida. Louisiana.* Louisiana.* Florida.
Insect: Diaspis echinocacti cacti (scale insect) Do	Cereus stenogonus	District of Columbia.
PERSIA. Diseases: Tilletia foetens	Triticum sativum	District of Columbia. Do.
Insects: Catorama sp. (Anobiidae). Do. Endrosis lacteella (Elachistidae). Ephestia elutella (Pyralidae). Ephestia sp. (Pyralidae). Laemophloeus pusillus (Cucujidae). Do. Mylabris sp. (Mylabridae). Phthorimaea operculella (potato tuber moth). Tribolium ferrugineum (rust-red flour beetle).	Gossypium sp. (cotton seed)doGossupium sp. (cottonseed cake)Gossypium sp. (cotton seed)Gossypium sp. (cotton seed)Gossypium sp. (cottonseed cake)Gossia elegans	District of Columbia. California. Do. Washington.* California. Washington.* District of Columbia. Louisiana.*
PHILIPPINE ISLANDS. Insects: Araccerus fasciculatus (coffee-bean weevil) Aspidiotus lataniae (scale insect) Calendrid Caryedon gonigra (Mylabridae) Caryoborus gonagra (Mylabridae) Chrysomphalus aurantii (California red scale) Chrysomphalus sp. (scale insect) Crematogaster sp. (ant)	Prosopis vidalianadoCitrus spPhalaenopsis amabilis (orchid)	Maryland.* District of Columbia. Do. Do. Maryland.* District of Columbia.

Country of origin and name of pest.	Host.	Collected in—
PHILIPPINE ISLANDS—continued.		
Insects—Continued.		D.
CurculionidLepidosaphes beckii (purple scale)	Eugenia jambolana (seed) Citrus sp.	District of Columbia. Maryland.*
Lepidosaphes gloverii (Glover's scale)	Citrus sp.	Do.
Lophocateres pusillus Ostomidae)	Zea mays (corn)	California.
Pachymerus chinensis (Mylabridae)	Vigna lutea (seed)	District of Columbia.
Parlatoria pergandei (chaff scale)	Citrus miaray Citrus sp.	Do. Do.
Pinnaspis buxi (scale insect)	Pandanus tectorius (seed)	Do.
Platypeltocoris sp. (Miridae)	Phalaenopsis amabilis (orchid)	Do.
Pseudococcus virgatus (mealy bug)	Citrus sp	Maryland.*
Reticulitermes sp. nov. (termite)	Litchi	Do. District of Columbia.
Rhizoglyphus sp. (mite)	Duhat seed	Do.
Saissetia hemisphaerica (hemispherical scale)	Citrus sp	Maryland.*
Do	Phalaenopsis amabilis (orchid)	District of Columbia.
Sciara sp. (Mycetophilidae)	Nipa sp. (nipa palm)	Do. Do.
Disease:	Darieria prioritis	D0.
Colletotrichum gloeosporioides	Citrus grandis	Do.
Do	Citrus hystrix	Do.
PORTO RICO.		
Insects:		
Aspidiotus destructor (scale insect) Do	Cocos nucifera (coconut palm)do	Florida. Louisiana.*
Do	Palm	Florida.
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato)	Do.
Diaspis boisduvalii (scale insect)	Orchid	Do.
Euscepes batatae (West Indian sweet-potato	Ipomoea batatas (sweet potato)	Do.
weevil). Ischnaspis longirostris (scale insect)	Cocos nucifera (coconut palm)	Louisiana.*
Do	Palm	District of Columbia.
Lepidosaphes gloverii (Glover's scale)	do	Do.
Lepidosaphes lasianthi (scale insect)	Croton	New York City.* District of Columbia.
Pinnaspis buxì (scale insect)	Palm	Do.
Pseudococcus sacchari (mealy bug)	Saccharum officinarum (sugar cane)	Do.
Pseudococcus sp. (mealy bug)	Dracaena	New York City.*
PORTUGAL.		
Insect: Calendra oryzae (rice weevil)	Phaseolus sp. (beans)	Louisiana.*
	z nasovias zp. (s sams)	20022000
PORTUGUESE EAST AFRICA. Insect:		
Tenebrionid	"Bangiri"	District of Columbia.
RHODESIA.		
Insects:	Halous sanahum (lasfin arm) (0)	District of Calconstate
Calendra oryzae (rice weevil)	Holcus sorghum (kafir corn) (2) Panicum maximum	District of Columbia.
Do	Zea mays (corn) (2)	Do.
Drosophila sp. (Drosophilidae)	Potato into which had been stuck some Tulley grass.	Do.
Eurytoma sp. (Eurytomidae)	Combrytum apiculatum (?)	Do.
EurytomidGelechiid	Zizyphus sp	Do. Do
Do	(?) Seed	Do.
Pollenia rudis (Muscidae)	Potato into which had been stuck some Tulley grass.	Do.
Pseudococcus sacchari (mealy bug)	Cow cane	Do.
Do	Indian cane	Do.
Scarabaeid	Impingi	Do. Do.
Tenebrionid		

Country of origin and name of pest.	Host.	Collected in—
SALVADOR.		
Insect: Spermophagus sp. (Mylabridae)	Pachyrhizus tuberosus	District of Columbia.
SAMOA.		
Insect: Chelisoches morio (earwig) Pseudococcus bromeliae (pineapple mealy bug).	Ananas sativus (pineapple) (2) Ananas sativus (pineapple)	District of Columbia.
SCOTLAND.		
Insect: Emphytus cinctus (sawfly)	Rosa sp. (rose stock)	Connecticut.
Diseases: Actinomyces scabies. Bacillus sp	Solanum tuberosum (2)	District of Columbia.
Fusarium sp.	Solanum tuberosum (2)	Do.
Rhizoctonia solani	dodo	Do. Do.
Spondylocladium atrovirens	Solanum tuberosum	Do.
Bacillus sp. Fusarium sp. Oospora pustulans. Rhizoctonia solani Spondylocladium atrovirens. Spongospora subterranea. Do.	do	Do. Florida.
SIAM.		
Insect:		
Araecerus fasciculatus (coffee-bean weevil)	Psophocarpus tetragonalobus (seed)	District of Columbia.
SOUTH AFRICA. Insects:		
Aspidiotus lataniae (scale insect)	Hedge plant	District of Columbia.
Calendra oryzae (rice weevil)	Native maize	Do.
Caryoborus sp. (Mylabridae)	Acacia giraffea (?)	Do. Do.
Chionaspis sp. (scale insect)	Grass	Do.
Curculionid	Lilium sp. (lily)	Do. Do.
Mylabrid	Kaffir bean	Do.
Mylabris obtectus (bean weevil)	Sugar bean	Do.
Mylabris sp. (Mylabridae) Do	Acacia sp. Cassia abreviata.	Do. Pennsylvania.*
Stephanoderes cooki (Scolytidae)	Unknown tree	District of Columbia.
Tenebroides mauritanicus (Ostomidae)	Seeds	Do.
SOUTH AMERICA. Insect:		
Mylabris obtectus (bean weevil)	Bean pods	District of Columbia.
Gloeosporium sp	Orchidaceae	Louisiana.*
SPAIN.		<i>y</i> :
Insects: Calendra granaria (granary weevil)	Avena sativa (oata)	District of Columbia
Calendra granaria (granary weevil)	Juglans regia (walnut)	Louisiana.*
Chrysomphalus dictyospermi (scale insect)	Citrus sinensis (orange)	Florida.
Drosophila sp. (Drosophilidae)	Solanum tuberosum (potato)	Pennsylvania.* District of Columbia.
Harmolita sp. `	Juglans regia (walnut)	Louisiana.*
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Florida.
Do Parlatoria pergandei (chaff scale)	Citrus sinensis (orange)do	Do. Do.
Phthorimaea operculella (potato tuber moth)	Solanum tuberosum (potato)	Pennsylvania.*
Plodia interpunctella (Indian meal moth)	Juglans regia (walnut)	Louisiana.*
Pseudococcus maritimus (mealy bug)		District of Columbia. Florida.
Silvanus surinamensis (saw-toothed grain beetle)	Juglans regia (walnut)	Louisiana.*
Tribolium confusum (confused flour beetle)	do	Do.
Disease: Ustilago avenae	Avena sativa	District of Columbia.

Country of origin and name of pest.	Host.	Collected in—
SPANISH HONDURAS.		
Insects:	16	T !-! #
Allegoria dilatata (Tenebrionidae) Do	Musa sp. (banana leaves used as pack-	Louisiana.* Do.
Anastrepha sp. (Trypetidae)	ing). Manaifara in dias (manas)	Do.
Aspidiotus lataniae (scale insect)	Mangifera indica (mango)	District of Columbia.
Aspidiotus palmae (scale insect)	Mangifera indica (mango).	Florida.
Aspidiotus sp. (scale insect)	Cocos nucifera (coconut palm)	Do.
Do	Mangifera indica (mango)	Do.
Asterolecanium sp. (scale insect)	Attalea cohune (seed)	District of Columbia.
Do		Louisiana.* Florida.
Do Camponotus abdominalis stercorarius (ant)		Louisiana.*
Camponotus sp. (ant)		Do.
Capaneus odiosus (Coreidae)	do	Do.
Castolus plagiaticollis (Reduviidae)	do	Do.
Ceroplastes floridensis (scale insect)		Florida.
Chelymorpha comata smithi (Chrysomelidae)		Louisiana.*
Chloridea obsoleta (corn earworm)	Zea mays (corn) Citrus grandis (grapefruit)	Do. Do.
Do	Citrus sinensis (orange).	Do.
Do	Mangifera indica (mango).	Florida.
Chrysomphalus sp. (scale insect)		Do.
Dinocoris tripterus (Pentatomidae)	Musa sp. (banana) (2)	Louisiana.*
Euxesta sp. (Ortalidae)	Zea mays (corn)	Do.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Do. Do.
Do	Citrus sinensis (orange) (2)	Do. Do.
Metamasius sericeus carbonarius (banana root	Musa sapientum (banana)	Do.
borer).	· · · · · · · · · · · · · · · · · · ·	
Do	Musa sp. (banana) (2)	Do.
Neoponera villosa (ant)	Musa sp. (banana)	Do.
Parlatoria pergandei (chaff scale)	Citrus sinènsis (orange)	Do. Do.
Pheidole megacephalà (ant) Piezostethus galactinus (Anthocoridae)	Musa sp. (banana)do.	Do.
Pseudaonidia articulatus (rufous scale)	Cocos nucifera (coconut palm)	Florida.
Pulvinaria pyriformis (scale insect)	Mangifera indica (mango)	Do.
Pulvinaria sp. (scale insect)		Louisiana.*
Sacium sp. (Corylophidae)	Musa sp. (banana leaves used as packing).	Do.
Saissetia hemisphaerica (hemispherical scale)		Do.
Stenoma catenifer (Stenomatidae)		Do. Florida.
Targionia hartii (scale insect)	Dioscorea sp. (yam)	Louisiana.*
Telephanus agins (Outujidae)	ing).	Louisiana.
Tetranychus sp. (mite)	Cocos nucifera (coconut palm)	Florida.
Myriangium duriaei	Citrus grandis	Louisiana.*
ST. VINCENT ISLAND.		
Insects: Balclutha sp. (Jassidae) Monomorium sp. (ant)	GrassGramineae	District of Columbia. Do.
STRAITS SETTLEMENTS.		
Insects: Lepidosaphes sp. (scale insect)	(?) Seed	District of Columbia. Do. Do. Do.
Targionia bromeliae (scale insect)	Ananas sativus (pineapple) (2)	Do.
Tryphetus incarnatus (Calendrinae)	. (?)	\mathbf{Do} .

Country of origin and name of pest.	Host.	Collected in—
SUDAN.		
Insects:	Viene en (mad)	District of Octoorlie
Agromyzid	Vigna sp. (seed)	District of Columbia.
Apion sp. (Curculionidae)	Legume (seed)	Do.
Do		Do.
Calendra oryzae (rice weevil)		Do.
Do	1	Do.
Iridomyrmex sp. (ant)	Holcus sp.	Do.
Mylabrid	Cicer sp. (chickpea)	Do.
Pheidole sp. (ant)	Garat or Garad	Do.
Rhizopertha dominica (Bostrychidae)		Do. Do.
		7 7
TAHITI. Insects:		
Anisolabis annulipes (earwig)	Dioscorea sp	California.
Carpophilus maculatus (Nitidulidae)	do	Do.
Carpophilus maculatus (Nitidulidae) Ereunetis sp. (Tineidae)	Ricinus communis (castor beams)	Do.
Disease:		
Thielaviopsis paradoxa	Saccharum officinarum	Do.
TONGATABU ISLAND.		
Insect: Anisolabis annulipes (earwig)	Dioscorea sp. (yams)	Do.
<u>-</u> - -	-I · ()/	20.
TRINIDAD. Insects:		
Aspidiotus lataniae (scale insect)	Palms	District of Columbia.
Carpophilus hemipterus (Nitidulidae)	Colocasia sp.	Do.
Carthartus advena (foreign grain beetle)	do	Do.
Cecidomyia sp. (Cecidomyidae)	Palm nuts	Do.
Chrysomphalus agavis (scale insect)	Agave americana (century plant)	Do.
Chrysomphalus aonidum (Florida red scale)	Musa sp.	Do.
Gryllid	Cactua	Do.
Lepidosaphes beckii (purple scale) Olethreutid	Citrus sinensis (orange)	Do.
Olethreutid	Palm nut	Do.
Pseudaonidia articulatus (scale insect)	Heavea braziliensis (rubber tree)	Do.
Diseases:	(======================================	20.
Colletotrichum gloeosporioides	Citrus sp. (2)	Do.
Monilia sp	do	Do.
UGANDA.	:	
Insects:		
Apion sp. (Curculionidae)	Vigna sp	District of Columbia.
Calendra oryzae (rice weevil)	Holcus sorhum (2)	Do.
Cecidomyid	Holcus sp. (seed) (4)	Do.
Crocidosena plebeiana (Olethreutidae)	Hibiscus-like flowers	Do.
Monomorium sp. (ant)	Vigna sp. (seed)	Do.
Mylabris obtectus (bean weevil)	Mixed beans (2)	Do.
Pheidole sp. (ant)	Holcus sp. (3)	Do.
UNION OF SOUTH AFRICA.		
Insects:	·	
Apion sp. (Curculionidae)	Tisiphus sp	District of Columbia.
Aspidiotus hederae (ivy scale)	Solanum giganteum	District of Columbia.
Aspidiotus transparens (scale insect)	Cycas sp.	Do. Do.
Calendra orvzae (rice weevil)	Triticum vulgare	Do. Do.
Cerambycid	Acacia robusta.	Do. Do.
Chionaspis exalbida (scale insect)	Aloe sp	Do. Do.
Do	Pandanus sp	Do. Do.
Chionaspis sp. (scale insect)	Lecuridaea longepedunculata	Do. Do.
C1: 1 1 1	Brachystegia sp. (seed)	Do.
Curculionid		
Do	Triticum vulgare	
	Triticum vulgare	Do. Do.

UNION OF SOUTH APRICA—continued. Insects—Continued. Ephestia sp. (Pyralidae). Do. Strychnos (seed). Do. Strychnos (seed). Do. Strychnos (seed). Do. Do. Do. Strychnos (seed). Do. Do. Do. Mylabria phaseoli (Mylabridae). Mylabris quadrimaculatus (four-spotted bean weevil) Mylabris phaseoli (Mylabridae). Do. Do. Acacia glandulifera. Do. Do. Acacia graffae (2). Do. Do. Acacia giraffae (2). Do. Do. Do. Acacia giraffae (2). Do. Do. Do. Do. Do. Acacia giraffae (2). Do. Do. Do. Do. Do. Acacia giraffae (2). Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	in
Ephestia sp. (Eyryalidae)	
Do.	
Do.	lumbia
Eurytomid	
Eurytomid.	
Do.	
Mylabris phaseoli (Mylabridae) Dichrostachys nutans Do	
Mylabris quadrimaculatus (four-spotted bean weevil)	
Mylabris sp. (Mylabridae)	
Do.	
Do. Acacia spusta. Do. Do. Do. Do. Do. Do. Combretum salicifolium Do. Selenaspidus pumilis (scale insect). Grass. Do. Selenaspidus pumilis (scale insect). Grass. Do. Do. Stiotdrepa panicea (Anobiidae). Triticum vulgare. Do. Do. Tenbritis sp. (Trypetidae). Do. Tenbritis sp. (Trypetidae). Bidens pilosa. Do. Tyroglyphus sp. (mite). Solanum sodomeum. Do. Tyroglyphus sp. (mite). Solanum sodomeum. Do. Do. Securidaca longepedunculara var. parviflora. Do. Cladosporium herbarum. Phaseolus vulgaris. Do.	
Do. Do. Combretum salicifolium Do. Do. Do. Do. Combretum salicifolium Do. Do. Dichrostachys nutans (3). Do. Do. Selensspidus pumilis (scale insect). (7). Do. Sitodrepa panicea (Anobiidae). Triticum vulgare. Do. Stenotus nigroquadristriatus (Miridae). Panicum laevifolium pictum Do. Tenebrionid. "Macceta" Do. Tyroglyphus sp. (mite). Slaumu sodomeum. Do. Tyroglyphus sp. (mite). Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Cladosporium herbarum. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Do. Spermoedia microcephala Do. Do. Moosooku (Kiloko) Do. Spermoedia microcephala Do. Digitaria eriantha Do. Do. Themeda forskalii Do. Themeda forskalii Do. Do. Cathartus cassiae (Cucujidae). Carica quercifolia. Do. Cathartus cassiae (Cucujidae). Hymenaea courbaril. Do. Do. Monomorium pharaonis (ant). Hymenaea courbaril. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	
Do.	
Do. Dichrostachys nutans (3). Do. Selenaspidus pumilis (scale insect). (7). Do. Strotterpa panicea (Anobiidae). (7). Do. Strotter ingroquadristriatus (Miridae). Panicum laevifolium pictum Do. Tenebrionid. (7). Do. Triticum vulgare. Do. Treephritis sp. (Trypetidae). Bidens pilosa Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Cladosporium herbarum. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Spermoedia microcephala. Digitaria eriantha. Do. Do. Spermoedia microcephala. Digitaria eriantha. Do. Themeda forskalii. Do. Do. Themeda forskalii. Do. Do. Carica quercifolia. Do. Carica quercifolia. Do. Carica quercifolia. Do. Do. Carica duercifolia. Do. Do. Carica panicea (Anobiidae). Carica quercifolia. Do. Do. Carica panicea (Cucujidae). Hymenaea courbaril. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	
Do. Dichrostachys nutans (3). Do. Selenaspidus pumilis (scale insect). (7). Do. Strotterpa panicea (Anobiidae). (7). Do. Strotter ingroquadristriatus (Miridae). Panicum laevifolium pictum Do. Tenebrionid. (7). Do. Triticum vulgare. Do. Treephritis sp. (Trypetidae). Bidens pilosa Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Tryroglyphus sp. (mite). Solanum sodomeum. Do. Cladosporium herbarum. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Spermoedia microcephala. Digitaria eriantha. Do. Do. Spermoedia microcephala. Digitaria eriantha. Do. Themeda forskalii. Do. Do. Themeda forskalii. Do. Do. Carica quercifolia. Do. Carica quercifolia. Do. Carica quercifolia. Do. Do. Carica duercifolia. Do. Do. Carica panicea (Anobiidae). Carica quercifolia. Do. Do. Carica panicea (Cucujidae). Hymenaea courbaril. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	
Pulvinaria sp. (scale insect). Grass. Do. Selenaspidus pumilis (scale insect). (?)	
Selenaspidus pumilis (scale insect) (?) Do. Sitodrepa panicea (Anobiidae) Triticum vulgare. Do. Stenotus nigroquadristriatus (Miridae). Panicum laevifolium pictum Do. Tenebrionid ("Macceta" Do. Tephritis sp. (Trypetidae). Bidens pilosa Do. Tyroglyphus sp. (mite). Solanum sodomeum Do. Do. Do. Tyroglyphus sp. (mite). Solanum sodomeum Do. Do. Do. Cladosporium herbarum Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Do. Do. Do. Do. Do. Moosooku (Kiloko) Do.	
Sitodrepa panicea (Anobiidae). Triticum vulgare. Do. Stenotus nigroquadristriatus (Miridae). Tenebrionid. "Macceta" Do. Tenebrionid. "Macceta" Do. Tenebrionid. "Macceta" Do. Tyroglyphus sp. (Trypetidae). Bidens pilosa. Do. Siseases: Ascochyta sp. Phaseolus vulgaris. Do. Cladosporium herbarum. Securidaca longepedunculara var. parviflora. Colletotrichum lindemuthianum Phaseolus vulgaris. Do. Pestalozzia guepini. Moscooku (Kiloko) Do. Spermoedia microcephala. Do. Moscooku (Kiloko) Do. Spermoedia microcephala. Do. Themeda forskalii. Do. URUGUAY. nsects: Pyralid. Blepharocalyx lanceolata. District of Col Sitodrepa panicea (Anobiidae). Carica quercifolia Do. VENEZUELA. nsects: Araecerus fasciculatus (coffee-bean weevil). Carica quercifolia Do. Do. Do. Do. Do. Do. Do. Do. Do. Do.	
Stenotus nigroquadristriatus (Miridae). Panicum laevifolium pictum Do. Tenebrionid. "Macceta" Do. Tyroglyphus sp. (mite). Bidens pilosa. Do. Solanum sodomeum. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	
Tenebrionid	
Tephritis sp. (Trypetidae) Bidens pilosa Do. Tyroglyphus sp. (mite) Do. Solanum sodomeum Do. Do. Solanum sodomeum solanum solanum sodomeum solanum	
Tephritis sp. (Trypetidae) Bidens pilosa Do. Tyroglyphus sp. (mite) Do. Solanum sodomeum Do. Do. Solanum sodomeum solanum solanum sodomeum solanum	
Tyroglyphus sp. (mite) Solanum sodomeum Do. Diseases: Ascochyta sp. Phaseolus vulgaris. Do. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Minusops sp. Do. Moosooku (Kiloko) Do. Spermoedia microcephala Do. Themeda forskalii Do. URUGUAY. nsects: Pyralid Blepharocalyx lanceolata Do. VENEZUELA. nsects: Araecerus fasciculatus (coffee-bean weevil) Carica quercifolia. Do. VENEZUELA. nsects: Araecerus fasciculatus (coffee-bean weevil) Do. Cathartus cassiae (Cucujidae) Do. Cerambycid Do. Do. Hymenaea courbaril Do. Hymenaea courbaril Do. Do. Prosopis chilensis. Do.	
Ascochyta sp. Cladosporium herbarum. Colletotrichum lindemuthianum. Pestalozzia guepini. Do. Pestalozzia guepini. Do. Mimusops sp. Do. Spermoedia microcephala. Do. Do. URUGUAY. nsects: Pyralid. Sitodrepa panicea (Anobiidae). Baryssinus leguminicola (Cerambycidae). Cathartus cassiae (Cucujidae). Do. Cerambycid. Do. Luguminicola (Cerambycidae). Do. Do. Do. Luguminicola (Cerambycidae). Do. Do. Luguminicola (Cuculionidae). Do. Do. Luguminicola (Cuculionidae). Do. Luguminicola (Do. Luguminicola (Licia var. par-viflora. Do. Luguminicola (Do. Luguminicola (Licia var. par-viflora. Do. Luguminicola (Licia var. par-viflora. Do. Luguminicola (Do. Luguminicola (Licia var. par-viflora. Do. Luguminico	
Ascochyta sp. Cladosporium herbarum. Securidaca longepedunculara var. parviflora. Phaseolus vulgaris. Do. Colletotrichum lindemuthianum. Phaseolus vulgaris. Do. Pestalozzia guepini. Phaseolus vulgaris. Do. Mimusops sp. Do. Moosooku (Kiloko) Do. Spermoedia microcephala Do. Themeda forskalii. Do. Themeda forskalii. Do. Themeda forskalii. District of Col Sitodrepa panicea (Anobiidae). Carica quercifolia. Do. VENEZUELA. Insects: Araecerus fasciculatus (coffee-bean weevil). Baryssinus leguminicola (Cerambycidae). Cathartus cassiae (Cucujidae). do. Cathartus cassiae (Cucujidae). do. Do. Monomorium pharaonis (ant). Hymenaea courbaril Do. Monomorium pharaonis (ant). Hymenaea courbaril Do. Mylabris sp. (Mylabridae). Ceratonia siliqua (algaroba beans). Do. Do. Hymenaea courbaril Do. Do. Do. Hymenaea courbaril Do. Do. Do. Hymenaea courbaril Do. Do. Do. Do. Prosopis chilensis. Do.	
Cladosporium herbarum	
Colletotrichum lindemuthianum Pestalozzia guepini Do. Do. Mimusops sp. Do. Do. Spermoedia microcephala Do. Do. Do. URUGUAY. nsects: Pyralid Sitodrepa panicea (Anobiidae) Saryssinus leguminicola (Cerambycidae) Cathartus cassiae (Cucujidae) Cerambycid Do. URUGUAY nsects: Araecerus fasciculatus (coffee-bean weevil) Baryssinus leguminicola (Cerambycidae) Cerambycid Do. Cathartus cassiae (Cucujidae) Do. Do. Hymenaea courbaril Do. Monomorium pharaonis (ant) Mylabris sp. (Mylabridae) Do. Hymenaea courbaril Mylabris sp. (Mylabridae) Do. Hymenaea courbaril Do. Do. Hymenaea courbaril Do. Hymenaea courbaril Do.	
Pestalozzia guepini. Do. Do. Moosooku (Kiloko) Do.	
Spermoedia microcephala Do. Spermoedia microcephala Do. Do. URUGUAY. Insects: Pyralid Sitodrepa panicea (Anobiidae) Carica quercifolia Do. WENEZUELA. Insects: Araecerus fasciculatus (coffee-bean weevil) Cathartus cassiae (Cucujidae) Do. Cathartus cassiae (Cucujidae) Do. Do. Euscepes porcellus (Curculionidae) Do. Monomorium pharaonis (ant) Moosooku (Kiloko) Do. Ceratonia siliqua (algaroba beans) Do. Hymenaea courbaril Do. Monomorium pharaonis (ant) Hymenaea courbaril Do. Mylabris sp. (Mylabridae) Ceratonia siliqua (algaroba beans) Do. Hymenaea courbaril Do. Hymenaea courbaril Do. Hymenaea courbaril Do. Do. Prosopis chilensis Do.	
Spermoedia microcephala Digitaria eriantha Do	
Do URUGUAY. nsects: Pyralid Sitodrepa panicea (Anobiidae) Neects: Araecerus fasciculatus (coffee-bean weevil) Baryssinus leguminicola (Cerambycidae) Cathartus cassiae (Cucujidae) Do. Do Do Ipomoea batatas (sweet potato) Euscepes porcellus (Curculionidae) Monomorium pharaonis (ant) Mylabris sp. (Mylabridae) Do Do Hymenaea courbaril Mylabris sp. (Mylabridae) Do Hymenaea courbaril Hymenaea courbaril Ceratonia siliqua (algaroba beans) Do Hymenaea courbaril Do Prosopis chilensis Do	
nsects: Pyralid	
nsects: Pyralid Sitodrepa panicea (Anobiidae) VENEZUELA. nsects: Araecerus fasciculatus (coffee-bean weevil) Baryssinus leguminicola (Cerambycidae) Cathartus cassiae (Cucujidae) Cerambycid Do. Do. Ipomoea batatas (sweet potato) Monomorium pharaonis (ant) Mylabris sp. (Mylabridae) Do. Do. Hymenaea courbaril Mylabris sp. (Mylabridae) Do. Hymenaea courbaril Ceratonia siliqua (algaroba beans) Do. Hymenaea courbaril Ceratonia siliqua (algaroba beans) Do. Hymenaea courbaril Ceratonia siliqua (algaroba beans) Do. Do. Hymenaea courbaril Do. Hymenaea courbaril Do. Hymenaea courbaril Do. Prosopis chilensis Do. Do.	
Pyralid Blepharocalyx lanceolata District of Col Sitodrepa panicea (Anobiidae) Carica quercifolia Do. VENEZUELA nsects: Araecerus fasciculatus (coffee-bean weevil) do Do. Cathartus cassiae (Cucujidae) do Do. Cerambycid do Do. Do. Do. Ipomoea batatas (sweet potato) Do. Monomorium pharaonis (ant) do Do. Mylabris sp. (Mylabridae) do Do. Do. Hymenaea courbaril District of Col Do. Hymenaea courbaril Do. Hymenaea courbaril District of Col Do. Hymenaea courbaril Do. Do. Hymenaea courbaril Do. Do. Hymenaea courbaril Do. Do. Prosopis chilensis Do.	
Sitodrepa panicea (Anobiidae)	umbio
nsects: Araecerus fasciculatus (coffee-bean weevil) Baryssinus leguminicola (Cerambycidae) Cathartus cassiae (Cucujidae) Do Do Ipomoea batatas (sweet potato) Monomorium pharaonis (ant) Mylabris sp. (Mylabridae) Do Bymenaea courbaril Ceratonia siliqua (algaroba beans) Do Ipomoea batatas (sweet potato) Hymenaea courbaril Do Hymenaea courbaril Do Hymenaea courbaril Do Do Prosopis chilensis Do Do Do	·umbia
Araecerus fasciculatus (coffee-bean weevil)	
Do.	umbia
CerambyciddodoDo. DoIpomoea batatas (sweet potato)Florida. Euscepes porcellus (Curculionidae)doDo. Monomorium pharaonis (ant)Hymenaea courbarilDistrict of Col Mylabris sp. (Mylabridae)Cratonia siliqua (algaroba beans)Do. DoHymenaea courbarilDo. Prosopis chilensisDo. DoDo.	RIGHT
CerambyciddodoDo. DoIpomoea batatas (sweet potato)Florida. Euscepes porcellus (Curculionidae)doDo. Monomorium pharaonis (ant)Hymenaea courbarilDistrict of Col Mylabris sp. (Mylabridae)Cratonia siliqua (algaroba beans)Do. DoHymenaea courbarilDo. Prosopis chilensisDo. DoDo.	
Do	
Euscepes porcellus (Curculionidae)	
Monomorium pharaonis (ant) Hymenaea courbaril District of Col Mylabris sp. (Mylabridae) Ceratonia siliqua (algaroba beans) Do. Do. Hymenaea courbaril Do. Prosopis chilensis Do.	
Monomorium pharaonis (ant). Hymenaea courbaril. District of Col Mylabris sp. (Mylabridae). Ceratonia siliqua (algaroba beans). Do. Do. Hymenaea courbaril. Do. Prosopis chilensis. Do.	
Mylabris sp. (Mylabridae) Ceratonia siliqua (algaroba beans) Do. Do. Hymenaea courbaril Do. Prosopis chilensis. Do.	umbia
Do	
Do	
Device the property of the pro	
C DECICIONALIS CINTISTENIS I LIPERTINO COMPETATO DE LA COMPANA DE LA COM	
Rhizoglyphus phylloxerae (mite)	umhi-
	umpi8.
Silvanus sp. (Cucujidae) do Do.	
Smicrips sp. (Nitidulidae)dodo	
Tortriciddo	
VIRGIN ISLANDS.	
nsect: Saccharum officinarum (sugar cane) District of Col	

Country of origin and name of pest.	Host.	Collected in—
WEST INDIES. Insects: Anisolabis annulipes (Forficulidae) Diaspis bromeliae (scale insect) Pseudococcus bromeliae (pineapple mealy bug). Rhizoglyphus phylloxerae (mite) Disease: Diplodia tubericola.	do	District of Columbia. Do. Do. Do. Do.